

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cassava	1	NICASS 1	TMS-30572 (Idi-Oshe)	NGME 91-1	IITA Ibadan	IITA Ibadan	Dr. S. K. Hahn	High yielding		1984	1991
Cassava	2	NICASS 2	TMS-4(2)-1425	NGME 91-2	IITA Ibadan	IITA Ibadan	Dr. S. K. Hahn	High yielding, low cyanide		1986	1991
Cassava	3	NICASS 3	TMS-90257	NGME 96-3	IITA Ibadan	IITA Ibadan	Dr. S. K. Hahn	Early bulking, high yielding		1986	1996
Cassava	4	NICASS 4	TMS-84537	NGME 96-4	IITA Ibadan	IITA Ibadan	Dr. S. K. Hahn	High yielding		1986	1996
Cassava	5	NICASS 5	TMS-82/00058	NGME 96-5	IITA Ibadan	IITA Ibadan	Dr. S. K. Hahn	High yielding		1986	1996
Cassava	6	NICASS 6	TMS-82/00661	NGME 96-6	IITA Ibadan	IITA Ibadan	Dr. S. K. Hahn	High yielding		1986	1996
Cassava	7	NICASS 7	TMS-81/00110	NGME 96-7	IITA Ibadan	IITA Ibadan	Dr. S. K. Hahn	High yielding		1986	1996
Cassava	8	NICASS 8	MS-6 (Antiota)	NGME 96-8	IAR&T, Ibadan	IAR&T, Ibadan	Dr. T. A. Akinlosotun, Dr. J.O.S. Kogbe & Dr. M.O. Omidiji	Non-branching, high yielding, resistant to pest and diseases, low cyanide, good gari and lafun.		1986	1996
Cassava	9	NICASS 9	MS-3 (Odongbo)	NGME 96-9	IAR&T, Ibadan	IAR&T, Ibadan	Dr. T. A. Akinlosotun, Dr. J.O.S. Kogbe & Dr. M.O. Omidiji	Non-branching, high dry matter, good gari qualities, keeps well in the soil. Good for mixed cropping.		1986	1996
Cassava	10	NICASS 10	TMS-30555	NGME 96-10	IAR&T, Ibadan	IAR&T, Ibadan	Dr. S. K. Hahn	Moderate yielding		1976	1996
Cassava	11	NICASS 11	NR-8208	NGME 96-11	NRCRI, Umudike	NRCRI, Umudike	Dr. L. S. O. Ene	High yielding		1988	1996
Cassava	12	NICASS 12	NR-8083	NGME 96-12	NRCRI, Umudike	NRCRI, Umudike	Dr. L. S. O. Ene	High yielding		1986	1996
Cassava	13	NICASS 13	NR-83107	NGME 96-13	NRCRI, Umudike	NRCRI, Umudike	Dr. L. S. O. Ene	High resistance to pests and diseases.		1989	1996
Cassava	14	NICASS 14	NR-8082	NGME 96-14	NRCRI, Umudike	NRCRI, Umudike	Dr. L. S. O. Ene	Very high yielding and resistant to pests and diseases.		1986	1996
Cassava	15	NICASS 15	TMS-50395	NGME 96-15	IITA Ibadan	IITA Ibadan	Dr. S. K. Hahn	High biomass		1986	1996
Cassava	16	NICASS 16	NR-8212	NGME 96-16	NRCRI, Umudike	NRCRI, Umudike	Dr. L. S. O. Ene	High yielding		1986	1996
Cassava	17	NICASS 17	NR-41044	NGME 96-17	NRCRI, Umudike	NRCRI, Umudike	Dr. L. S. O. Ene	High yielding		1986	1996
Cassava	18	NICASS 18	TMS-30001	NGME 96-18	IITA Ibadan	IITA Ibadan	Dr. S. K. Hahn	Moderate yielding		1986	1996
Cassava	19	NICASS 19	TMS-91934	NGME 96-19	IITA, Ibadan	IITA, Ibadan	Dr. S.K. Hahn	High yielding		1986	1996
Cassava	20	NICASS 20	TME-419	NGME 05-20	IITA Ibadan	IITA Ibadan	Dr. A.G.O. Dixon, Dr. Egesi, Dr. F.O. Ogbe, Prof. Akoroda & Dr. E. Okoro.	High yield, resistant to CMD		2005	2005
Cassava	21	NICASS 21	TMS 97/2205	NGME 05-21	IITA Ibadan	IITA Ibadan	Dr. A.G.O. Dixon, Dr. Egesi, Dr. F.O. Ogbe, Prof. Akoroda & Dr. E. Okoro.	High yield, resistant to CMD		2005	2005
Cassava	22	NICASS 22	TMS 98/0505	NGME 05-22	IITA Ibadan	IITA Ibadan	Dr. A.G.O. Dixon, Dr. Egesi, Dr. F.O. Ogbe, Prof. Akoroda & Dr. E. Okoro.	High yield, resistant to CMD		2005	2005
Cassava	23	NICASS 23	TMS 98/0510	NGME 05-23	IITA Ibadan	IITA Ibadan	Dr. A.G.O. Dixon, Dr. Egesi, Dr. F.O. Ogbe, Prof. Akoroda & Dr. E. Okoro.	High yield, resistant to CMD		2005	2005

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cassava	24	NICASS 24	TMS 98/0581	NGME 05-24	IITA Ibadan	IITA Ibadan	Dr. A.G.O. Dixon, Dr. Egesi, Dr. F.O. Ogbe, Prof. Akoroda & Dr. E. Okoro.	High yield, resistant to CMD		2005	2005
Cassava	25	NICASS 25	NR 87184	NGME 06-25	NRCRI, Umudike	NRCRI, Umudike/RMRDC, Abuja	Dr. L.S.O. Ene, Dr. C. Egesi, Dr. F. O. Ogbe, Dr. T.N.C. Echendu, Dr. B. Maziya-Dixon, Dr. U.J. Ukpabi & Dr. E. Oti.	Early maturing, high yielding, suitable for food and industry (34.6t/ha)		2006	2006
Cassava	26	NICASS 26	TMS 92/0057	NGME 06-26	IITA	IITA/NRCRI Umudike	Dr. A.G.O. Dixon, Dr. C. Egesi, Dr. F.O. Ogbe, Dr. T.N.C. Echendu, Dr. B. Maziya-Dixon, Dr. U.J. Ukpabi & Dr. E. Oti.	Fairly suitable for mixed cropping, high yielding, suitable for food and industry (37.7t/ha)		2006	2006
Cassava	27	NICASS 27	TMS 92/0326	NGME 06-27	IITA	IITA, NRCRI Umudike and RMRDC Abuja	Dr. A.G.O. Dixon, Dr. C. Egesi, Dr. F.O. Ogbe, Dr. T.N.C. Echendu, Dr. B. Maziya-Dixon, Dr. U.J. Ukpabi & Dr. E. Oti.	Early maturing, suitable for mixed cropping, high yielding, suitable for food and industry (39.5t/ha)		2006	2006
Cassava	28	NICASS 28	TMS 96/1632	NGME 06-28	IITA	IITA, NRCRI Umudike	Dr. A.G.O. Dixon, Dr. C. Egesi, Dr. F.O. Ogbe, Prof. M.O. Akoroda & Dr. E. Okoro.	Fairly suitable for mixed cropping, high yielding, suitable for food and industry (43.2t/ha)		2006	2006
Cassava	29	NICASS 29	TMS 98/0002	NGME 06-29	IITA	IITA, NRCRI Umudike and RMRDC Abuja	Dr. A.G.O. Dixon, Dr. C. Egesi, Dr. F.O. Ogbe, Prof. M.O. Akoroda & Dr. E. Okoro.	Early maturing, fairly suitable for mixed cropping, high yielding, suitable for food and industry (48.4t/ha)		2006	2006
Cassava	30	NICASS 30	NR 93/0199	NGME 08-30	NRCRI, Umudike	NRCRI, Umudike	Dr. L.S.O. Ene	Very suitable for food and industry		2008	2008
Cassava	31	NICASS 31	TMS 96/1089A	NGME 08-31	IITA	IITA, NRCRI Umudike	Dr. A.G.O. Dixon	Contains moderate level of beta-carotene, high yielding, suitable for food and industry		2008	2008
Cassava	32	UMUCASS 32	NR 01/0004	NGME-10-32	NRCRI, Umudike	NRCRI, Umudike	Dr. Chiedozie N. Egesi, Dr. E. Okogbenin, Dr. F.O. Ogbe, Dr. O.N. Eke-Okoro & Mrs. Sally Njoku	Early maturing, moderately suitable for intercropping, high yielding, suitable for food and industry and tolerance to drought. (48.4t/ha)	Southern and Northern Guinea Savanna	2010	2010

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cassava	33	UMUCASS 33	CR 41-10	NGME-10-33	CIAT, Colombia	NCRI, Umudike	Dr. Martin Fregene, Dr. Emmanuel Okogbenin, Dr. Chiedozie N. Egesi, Dr. F.O. Ogbe & Dr. O.N. Eke-Okoro	Very suitable for intercropping, early maturing, high yielding, suitable for food and industry and tolerance to acidic soils. (46.4t/ha)	Southern and Northern Guinea Savanna	2010	2010
Cassava	34	UMUCASS 34	TMS 01/0040	NGME-10-34	IITA, Ibadan	NRCRI, Umudike	Dr. A.G.O. Dixon, Dr. Chiedozie N. Egesi, Dr. Emmanuel Okogbenin, Mr. Paul Ilona, Dr. Peter, Kulakow, Dr. F.O. Ogbe & Dr. O. N. Eke-Okoro	Moderate branching that can smother weeds, early maturing, high yielding, suitable for food and industry. (51.7t/ha)	Southern and Northern Guinea Savanna	2010	2010
Cassava	35	UMUCASS 35	TMS 00/0203	NGME-10-35	IITA, Ibadan	NRCRI, Umudike	Dr. A.G.O. Dixon, Dr. Chiedozie N. Egesi, Dr. Emmanuel Okogbenin, Mr. Paul Ilona, Dr. Peter, Kulakow, Dr. F.O. Ogbe & Dr. O. N. Eke-Okoro	Suitable for smothering weeds in sole cropping, early maturing, high yielding, suitable for food and industry. (43.3t/ha)	Southern and Northern Guinea Savanna	2010	2010
Cassava	36	UMUCASS 36	IITA TMS 1011368	NGME-11-36	IITA, Ibadan	NRCRI, Umudike	Alfred G.O. Dixon, Chiedozie N. Egesi, Peter Kulakow, Norbert G. Maroya, Emmanuel Okogbenin, Bunmi Olasanmi, Paul Ilona, Okechukwu N. Eke-Okoro & Salome Njoku	High beta carotene, high yield, suitable for gari and fufu, suitable for high quality cassava flour. (46.5t/ha)	Humid Forest/Savanna Ecological Zones	2011	2011
Cassava	37	UMUCASS 37	IITA TMS 1011412	NGME-11-37	IITA, Ibadan	NRCRI, Umudike	Alfred G.O. Dixon, Chiedozie N. Egesi, Peter Kulakow, Norbert G. Maroya, Emmanuel Okogbenin, Bunmi Olasanmi, Paul Ilona, Okechukwu N. Eke-Okoro & Salome Njoku	High beta carotene, high yielding, suitable for gari and fufu, broad adaptation. (59.1t/ha)	Southern and Northern Guinea Savanna	2011	2011

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cassava	38	UMUCASS 38	IITA TMS 1011371	NGME-11-38	IITA, Ibadan	NRCRI, Umudike	Alfred G.O. Dixon, Chiedozie N. Egesi, Peter Kulakow, Norbert G. Maroya, Emmanuel Okogbenin, Bunmi Olasanmi, Paul Ilona, Okechukwu N. Eke-Okoro & Salome Njoku	High beta carotene, suitable for gari and fufu, suitable for high quality cassava flour. (39.3t/ha)	Southern and Northern Guinea Savanna	2011	2011
Cassava	39	UMUCASS 39	NR 03/0211	NGME-11-39	NRCRI, Umudike	NRCRI, Umudike	Chiedozie N. Egesi, Emmanuel Okogbenin, Bunmi Olasanmi, Peter Kulakow, Okechukwu N. Eke-Okoro Salome Njoku & Joseph Onyeka	Early maturing, high yielding, high starch yield, suitable for high quality cassava flour. (42.5t/ha)	Southern and Northern Guinea Savanna	2011	2011
Cassava	40	UMUCASS 40	NR 03/0155	NGME-11-40	NRCRI, Umudike	NRCRI, Umudike	Chiedozie N. Egesi, Emmanuel Okogbenin, Bunmi Olasanmi, Peter Kulakow, Okechukwu N. Eke-Okoro Salome Njoku & Joseph Onyeka	Early maturing, high yielding, suitable for gari and fufu, tolerance to drought. (53.7t/ha)	Southern and Northern Guinea Savanna	2011	2011
Cassava	41	UMUCASS 41	CR 36-5	NGME-12-41	International Center for Tropical Agriculture (CIAT), Cali, Colombia.	NRCRI, Umudike	Martin Fregene, Emmanuel Okogbenin, Chiedozie N. Egesi, Bunmi Olasanmi, Olalekan Akinbo, Peter Kulakow, Okechukwu N. Eke-Okoro, Salome Njoku & Joseph Onyeka	High starch yield, high dry matter, erect plant type suitable for intercropping and dense population in plantations and suitable for gari and fufu. (42t/ha)	Southern and Northern Guinea Savanna	2012	2012
Cassava	42	UMUCASS 42	IITA TMS I 982132	NGME-12-42	IITA, Ibadan	IITA, Ibadan, NRCRI, Umudike	Peter Kulakow, Alfred Dixon, Chiedozie N. Egesi, Emmanuel Okogbenin, Bunmi Olasanmi, Paul Ilona, Elizabeth Parkes, Okechukwu N. Eke-Okoro, Salome Njoku and Joseph Onyeka	High root yield, high dry matter and moderate carotene content. (49.5t/ha)	Rainforest and Southern Guinea Savanna	2012	2012

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cassava	43	UMUCASS 43	IITA TMS I011206	NGME-12-43	IITA, Ibadan	IITA, Ibadan, NRCRI, Umudike	Peter Kulakow, Alfred Dixon, Chiedozie N. Egesi, Emmanuel Okogbenin, Bunmi Olasanmi, Paul Ilona, Elizabeth Parkes, Okechukwu N. Eke-Okoro, Salome Njoku and Joseph Onyeka	High root yield, high dry matter content, drought tolerance (leaf retention in dry season), and suitability for high quality cassava flour due to low fibre content and high starch of dry roots. (53t/ha)	Rainforest and Northern Guinea Savanna	2012	2012
Cassava	44	UMUCASS 44	NR 07/0220	NGME-14-44	NRCRI, Umudike	NRCRI, Umudike/IITA, Ibadan	Chiedozie N. Egesi, Emmanuel Okogbenin, Bunmi Olasanmi, Peter Kulakow, Damian Njoku, Paul Ilona, Elizabeth Parkes, Okechukwu N. Eke-Okoro, Salome Njoku, Joseph Onyeka & Adeyemi Olojede	High beta carotene content and high yielding. (36t/ha)	Rainforest and Southern Guinea Savanna	2014	2014
Cassava	45	UMUCASS 45	IITA TMS I 07/0593	NGME-14-45	IITA, Ibadan	IITA, Ibadan/NRCRI, Umudike	Peter Kulakow, Alfred Dixon, Elizabeth Parkes, Chiedozie N. Egesi, Bunmi Olasanmi, Paul Ilona, Okechukwu N. Eke-Okoro, Salome Njoku & Joseph Onyeka	High carotene content and high yielding. (34t/ha)	Rainforest and Southern Guinea Savanna	2014	2014
Cassava	46	UMUCASS 46	IITA TMS I 07/0539	NGME-14-46	IITA, Ibadan	IITA, Ibadan/NRCRI, Umudike	Peter Kulakow, Alfred Dixon, Elizabeth Parkes, Chiedozie N. Egesi, Bunmi Olasanmi, Paul Ilona, Okechukwu N. Eke-Okoro, Salome Njoku & Joseph Onyeka	High carotene content and high yielding. (32t/ha)	Rainforest and Southern Guinea Savanna	2014	2014
Cotton	47	SAMCOT-1	SAMMARU-260	NGGS 91-1	I.A.R. SAMARU	I.A.R. SAMARU		General adaptation, good yield. (1-1.12t/ha)	Guinea and Savanna Zones	1937	1991
Cotton	48	SAMCOT-2	SAMMARU-261	NGGS 91-2	I.A.R. SAMARU	I.A.R. SAMARU		General adaptation, better yield than SAMCOT-1, higher ginning percentage. (1-1.5t/ha)	Guinea and Savanna Zones	1959	1991

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cotton	49	SAMCOT-3	SAMMARU-68	NGGS 91-3	I.A.R. SAMARU	I.A.R. SAMARU		Improved yield and lint, has longer staple than SAMCOT-2, slightly above 2.54cm. (2-2.5t/ha)	Derived Savanna, Northern and Southern Guinea Savanna	1968	1991
Cotton	50	SAMCOT-4	SAMMARU-69	NGGS 91-4	I.A.R. SAMARU	I.A.R. SAMARU		Improved yield. (1-1.5t/ha)	Southern and Northern Guinea Savanna	1969	1991
Cotton	51	SAMCOT-5	SAMMARU-70	NGGS 91-5	I.A.R. SAMARU	I.A.R. SAMARU		Improved yield and better quality characteristic. (1.5-2t/ha)	Forest Transition and Derived Savanna	1970	1991
Cotton	52	SAMCOT-6	SAMMARU-71	NGGS 91-6	I.A.R. SAMARU	I.A.R. SAMARU		High yielding, good ginning percentage, classified as short staple cotton. (2-2.5t/ha)	Northern and Southern Guinea Savanna, Sudan Savanna, Sahel Savanna	1971	1991
Cotton	53	SAMCOT-7	SAMMARU-72	NGGS 91-7	IAR, Samaru	IAR, Samaru		High yielding, earlier than SAMCOT-5, classified as medium staple cotton (1.3cm - 3.3cm). (1.5-2t/ha)	Forest Transition and Derived Savanna	1972	1991
Cotton	54	SAMCOT-8	SAMMARU-77	NGGS 91-8	I.A.R. SAMARU	I.A.R. SAMARU		Improved yield, classified medium staple (1.3cm - 3cm). (1.5-2t/ha)	Forest Transition and Derived Savanna	1977	1991
Cotton	55	SAMCOT-11	BAR XL4 (79)36	NGGS 03-9	I.A.R. SAMARU	IAR/ABU Zaria		Long Staple	Humid Forest	2003	2003
Cotton	56	SAMCOT-12	PIMAS	NGGS 03-10	I.A.R. SAMARU	IAR/ABU Zaria		Long Staple	Northern and Southern Guinea Savanna, Sudan Savanna, Sahel Savanna	2003	2003
Cotton	57	SAMCOT-13	GIZA 45	NGGS 03-11	I.A.R. SAMARU	IAR/ABU Zaria		Long Staple	Northern and Southern Guinea Savanna, Sudan Savanna, Sahel Savanna	2003	2003
Cotton	58	SAMCOT-9	RASA (74) 67	NGGS 06-12	I.A.R. SAMARU	IAR/ABU Zaria	C.A. Echekwu & S.O. Alabi	Medium Staple (28-30mm), fine lint with good luster. (1.5-2t/ha)		1989	2006

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cotton	59	SAMCOT-10	RASA (74) 165	NGGS 06-13	I.A.R. SAMARU	IAR/ABU Zaria	C.A. Echekwu & S.O. Alabi	Medium Staple (28-30mm), fine lint with good luster. (1.5-2t/ha)		1989	2006
Cowpea	60	West Bred	C6956-2a	NGVU 91-1	Florida, U. S. A.	IAR&T, Ibadan	Ojomo O. A. & Fennel M.	Determinate, early and uniform maturity. Day length neutral, white seeded.	Rainforest Ecological Zones	1986	1991
Cowpea	61	Ife Brown (Irawo)	Ife Brown (Irawo)	NGVU 91-2	O.A.U., Ife	IAR&T and Faculty of Agric OAU, Ile Ife	J. D. Frankowiak, O. A. Ojomo & L. N. Barker.	Semi erect, medium maturity. Day length neutral, brown seeded and fast cooking.	Derived Savanna and Forest Zones	1970	1991
Cowpea	62	Dinner	FARV-13	NGVU 91-3	Nigeria (Local selection)	F.D.A.R., Moor Plantation, Ibadan.	U.U. Ebong & S.O. Olafare	Resistant to Septoria leaf spot	All ecological zones	1971	1991
Cowpea	63	Nigerian Brown 7 (NB7)	Nigerian Brown 7 (NB7)	NGVU 91-4	Nigeria (Local selection)	F.D.A.R., Moor Plantation, Ibadan.	U.U. Ebong, S.O. Olafare & M.A. Adenihun	Rough, large seeded and good swelling capacity	All ecological zones	1987	1991
Cowpea	64	Kudi	K-59	NGVU 91-5	Nigeria (Local selection)	NCRI, Badeggi	O.A. Ojomo, S.O. Olafare, M.A. Adenihun & J.A. Raji	Uniformity in flowering and maturity, pest and disease resistance	All ecological zones	1984	1991
Cowpea	65	K-28	K-28	NGVU 91-6	Nigeria (Local selection)	NCRI, Badeggi	O.A. Ojomo, S.O. Olafare, M.A. Adenihun & J.A. Raji	Very high swelling capacity of seed when cooked	All ecological zones	1985	1991
Cowpea	66	L25	L-25	NGVU 91-7	Nigeria (Local selection)	NCRI, Badeggi	S.O. Olafare, M.A. Adenihun & O.A. Ojomo	Dry grains can be processed into canned beans.	All ecological zones	1985	1991
Cowpea	67	Ife Bimpe	Branching Peduncle Cowpea (BPC)	NGVU 91-8	Nigeria (Mutant of Ife Brown)	IAR&T, Ibadan	Iyiola Fawole, N.O. Afolabi and J. A. Raji	Semi Erect and uniform maturity, pods held above the canopy.	Derived Savanna and Forest Zones	1985	1991
Cowpea	68	SAMPEA-1	I.A.R.-339	NGVU-96-9	Nigeria	I.A.R., Samaru Zaria	Prof. O. I. Leleji	Consistent and stable in yield, good palatability, grains cook in 40-45 minutes		1978/79	1996
Cowpea	69	SAMPEA-2	I.A.R.-353	NGVU-96-10	Nigeria	I.A.R., Samaru Zaria	Prof. O. I. Leleji	Good palatability, grain cook in 30 - 45 minutes.		1978/79	1996
Cowpea	70	SAMPEA-3	I.A.R.-341	NGVU-96-11	Nigeria	I.A.R., Samaru Zaria	Prof. O. I. Leleji	Consistent and stable in yield, good palatability.		1978/79	1996
Cowpea	71	SAMPEA-4	I.A.R.-176 B	NGVU-96-12	Nigeria	I.A.R., Samaru Zaria	Prof. O. I. Leleji	Good palatability		1978/79	1996
Cowpea	72	SAMPEA-5	I.A.R.-355	NGVU-96-13	Nigeria	I.A.R., Samaru Zaria	Prof. O. I. Leleji	Early maturity and good palatability		1978/79	1996
Cowpea	73	SAMPEA-6	Kano 16960	NGVU-96-14	Nigeria	I.A.R., Samaru Zaria	Prof. O. I. Leleji	Long pods, extra long seed, high yielding and good palatability.		1978/79	1996
Cowpea	74	TVX-3236	TVX-3236	NGVU-96-15	IITA Ibadan	IITA Ibadan	Dr. K. O. Rachie & Dr. S.R. Singh	Over the canopy pods, thrips resistance, good palatability, short cooking time		1982	1996

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cowpea	75	IT81D-994	IT81D-994	NGVU-96-16	IITA Ibadan	IITA Ibadan	Dr. B.B. Sigh & Dr. K.J. Rodden.	Large seeds like local varieties with Bruchid resistance		1985	1996
Cowpea	76	SAMPEA-7	I.A.R.-48	NGVU-96-17	Nigeria	I.A.R., Samaru Zaria	Prof. O.I. Leleji	Consistent and stable, high yielding potential and good palatability.		1986	1996
Cowpea	77	IT84S-2246-4	IT84S-2246-4	NGVU-96-18	IITA Ibadan	IITA Ibadan	Dr. B. B. Singh	Multiple disease and insect resistance, early maturity.		1991	1996
Cowpea	78	IT89KD-374	IT89KD-374	NGVU-96-19	I.A.R., Samaru Zaria	IITA Ibadan	Dr.B.B.Singh			1991	1996
Cowpea	79	IT90K-76	IT90K-76	NGVU-96-20	I.A.R., Samaru Zaria	IITA, Ibadan	Dr.B.B.Singh	Early with multiple disease and pest resistance		1991	1996
Cowpea	80	IFH-101	IFH-101	NGVU-96-21	I.A.R&T, Moor Plantation, Ibadan	I.A.R&T, Moor Plantation, Ibadan	Dr. I.Fawole, Mr. N.O. Afolabi & Dr. B. A. Ogunbodede	High yielding, insensitive to photoperiod. Resistant to important cowpea diseases and tolerant to common pests		1985	1996
Cowpea	81	Popse-1	Popse-1	NGVU-96-22	I.A.R&T Moor Plantation, Ibadan	I.A.R&T Moor Plantation, Ibadan	Iyiola Fawole, N. O. Afolabi & Dr. B. A. Ogunbodede	High yielding, resistant to anthracnose and tolerant to other common cowpea diseases and pests.		1985	1996
Cowpea	82	SAMPEA-8	IT93K-452-1	NGVU-05-23	IITA, Kano Station	IITA Ibadan & IAR Zaria	B.B. Singh, M.F. Ishiyaku, O.O. Olufajo, A.A. Zaria, H.A. Ajeigbe & S.G.Mohammed	Extra-early maturity, good seed quality, field tolerance to major insect-pest.		2005	2005
Cowpea	83	SAMPEA-9	IT90K-277-2	NGVU-05-24	IITA, Kano Station	IITA Ibadan & IAR Zaria	B.B. Singh, M.F. Ishiyaku, O.O. Olufajo, A.A. Zaria, H.A. Ajeigbe & S.G.Mohammed	Dual purpose (good grain and fodder yields), acceptable seed quality and good fodder quality		2005	2005
Cowpea	84	SAMPEA-10	IT97K-499-35	NGVU-08-25	IAR, IITA Kano Station	IITA Kano/IAR Zaria	B.B. Singh, M.F. Ishiyaku, O.O. Olufajo, H.A. Ajeigbe, R.A. Adeleke & Y. Kamara	Early maturing, white seeded striga resistant, white seeded alectra resistant, good seed quality, field tolerance to major insect-pests. (2t/ha)		2008	2008
Cowpea	85	SAMPEA 11	IT89KD-288	NGVU-09-26	IAR, Zaria & IITA, Kano Station	IAR, Zaria IITA, Ibadan	M. F. Ishiyaku, B.B. Singh, A.A. Zaria, O. O. Olufajo, R. A. Adeleke, H. Ajeigbe & Y. Kamara	Nematode resistance, aphid resistance, good seed quality and field tolerance to major insect-pest. (2t/ha)	Guinea Savanna	2009	2009



Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cowpea	86	SAMPEA 12	IT89KD-391	NGVU-09-27	IAR, Zaria & IITA, Kano Station	IAR, Zaria IITA, Ibadan	M. F. Ishiyaku, B.B. Singh, A.A. Zaria, O. O. Olufajo, R. A. Adeleke, H. Ajeigbe & Y. Kamara	Good seed quality, large brown and field tolerance to major insect-pest. (2t/ha)	All Agroecological Zones	2009	2009
Cowpea	87	SAMPEA 13	Ife-98-12	NGVU-09-28	IAR&T, Ibadan	IAR&T, Ibadan	Dr. (Mrs.) S.R. Akande, Prof. J. A. Morakinyo, Dr. (Mrs.) M.O. Balogun, & Prof. B.A. Ogunbodede.	Appealing colour (Golden white), good quality seeds even when planted under heavy rainfall. (2t/ha)	Northern Guinea Savanna	2009	2009
Cowpea	88	SAMPEA 14	IT99K-573-1-1	NGVU-11-29	IITA, Ibadan	IITA, Ibadan, IAR-Abu, Zaria	Singh, B.B., Ishiyaku, M.F., Fatokun, C., Ousmane, B., Omoigui, L. O., Zaria, A. A., Ajeigbe, H.A., Olufajo, O.O., Kamara, A. Y. & Adeleke, R.	Multiple disease resistance especially Fusarium wilt, drought tolerance, Striga and Alectra resistance. (2.6t/ha)	Northern Guinea Savanna	2011	2011
Cowpea	89	SAMPEA 15	IT99K-573-2-1	NGVU-11-30	IITA, Ibadan	IITA, Ibadan, IAR-Abu, Zaria	Singh, B.B., Ishiyaku, M.F., Fatokun, C., Ousmane, B., Omoigui, L. O., Zaria, A. A., Ajeigbe, H.A., Olufajo, O.O., Kamara, A. Y. & Adeleke, R.	Multiple disease resistance, drought tolerant, Striga and Alectra resistance. (2.5t/ha)	Northern Guinea Savanna	2011	2011
Cowpea	90	SAMPEA 16	IT07K-292-10	NGVU-15-31	IITA, Ibadan	IITA, Ibadan, IAR-Abu, Zaria	O. Boukar, C. Fatokun, M.F. Ishiyaku, M. Umar, E. Makeri, R. Adeleke and O.O. Olufajo.	Early maturity, resistance to Alectra, tolerance to striga and drought. (2,595kg/ha)	Sudan Savannah and Sahelian agro-ecologies	2015	2015
Cowpea	91	SAMPEA 17	IT07K-318-33	NGVU-15-32	IITA, Ibadan	IITA, Ibadan, IAR-Abu, Zaria	O. Boukar, C. Fatokun, M.F. Ishiyaku, M. Umar, E. Makeri, R. Adeleke and O.O. Olufajo.	Early maturity, tolerant to striga and drought, resistant to Alectra. (2,557kg/ha)	Sudan Savannah and Sahelian agro-ecologies	2015	2015
Cowpea	92	FUAMPEA 1	UAM09 1055-6	NGVU-16-33	IAR-ABU, Zaria and IITA, Ibadan	FUAM and IAR-ABU, Zaria	L.O. Omoigui, L.L. Bello, M.F. Ishiyaku, A.Y. Kamara, O.O. Olufajo, H.A. Ajeigbe, B.A. Kalu, R. Adeleke, M.P. Timko, E.J. Ekekan, Nater Iyorkaa and Towolawi Oluwole	Resistance to Striga and Alectra (1.9t/ha)	Northern Guinea, Sudan and Sahelian Savanna	2016	2016

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cowpea	93	FUAMPEA 2	UAM09 1051-1	NGVU-16-34	IAR-ABU, Zaria and IITA, Ibadan	FUAM and IAR-ABU, Zaria	L.O. Omoigui, L.L. Bello, M.F. Ishiyaku, A.Y. Kamara, O.O. Olufajo, H.A. Ajeigbe, B.A. Kalu, R. Adeleke, M.P. Timko, E.J. Ekekan, Nater Iyorkaa and Towolawi Oluwole	Resistance to Striga and Alectra (2.0t/ha)	Northern Guinea and Sudan Savanna	2016	2016
Soybean	94	Malayan	Malayan	NGGM-91-1	Nigeria	Northern Region Ministry of Agric & Natural Resources		Fantastic nodulation without inoculation		1937	1991
Soybean	95	M-351	M-351	NGGM-91-2	Nigeria	I.A.R Samaru Zaria	Van Reehen, O. Leleji & D.K. Adedzwa	Good nodulation, productive on low fertility soil		1983	1991
Soybean	96	SAMSOY-1	M-79	NGGM-91-3	Nigeria	I.A.R. Samaru Zaria	Van Reehen, O. Leleji & D.K. Adedzwa.	High yielding, good nodulation, wider adaptability than existing variety		1983	1991
Soybean	97	SAMSOY-2	M-216	NGGM-91-4	Nigeria	I.A.R. Samaru Zaria	Van Reehen, O. Leleji & D.K. Adedzwa.	Fairly resistant to pod shattering, big seeds		1983	1991
Soybean	98	TGM-344 Hemon	TGM-344 Hemon	NGGM-96-5	Uganda	IITA & I.A.R.&T Ibadan	E. A. Keuneman, P.O. Oyekan & N.O. Afolabi.	Good nodulation		1984	1996
Soybean	99	TGX-306-036C	TGX-306-036C	NGGM-96-6	Nigeria	IITA & I.A.R.&T Ibadan	E.A. Keuneman, W. R. Root, P.O. Oyekan & N.O. Afolabi.	High protein content		1984	1996
Soybean	100	TGX-536-02D	TGX-536-02D	NGGM-96-7	Nigeria	IITA & I.A.R.&T Ibadan	E. A. Keuneman, W. R. Root, P.O. Oyekan & K.E. Dashiell.	Medium size seeds, moderately resistant to Cercospora leaf spot.		1985	1996
Soybean	101	TGX-713-09D	TGX-713-09D	NGGM-96-8	Nigeria	IITA & I.A.R.&T Ibadan	E.A. Keuneman, P.O. Oyekan & N.O. Afolabi.	Medium size seeds, moderately resistant to Cercospora leaf spot.		1985	1996
Soybean	102	TGX-849-313D	TGX-849-313D	NGGM-96-9	Nigeria	IITA & I.A.R.&T Ibadan	K.E. Dashiell, L. L. Bello & P. O. Oyekan.	High yielding, medium maturity and uniform seed color.		1989	1996
Soybean	103	TGX-1019-2EB	TGX-1019-2EB	NGGM-96-10	Nigeria	IITA & I.A.R.&T Ibadan	K.E. Dashiell, L. L. Bello & P. O. Oyekan.	High yielding, early maturity, resistant to frog eye leaf spot.		1990	1996
Soybean	104	TGX-1019-2EN	TGX-1019-2EN	NGGM-96-11	Nigeria	IITA & I.A.R.&T Ibadan	K.E. Dashiell, L. L. Bello & P. O. Oyekan.	High yielding, early maturity, resistant to frog eye leaf spot.		1990	1996
Soybean	105	TGX-923-2E	TGX-923-2E	NGGM-96-12	Nigeria	IITA, I.A.R&T and N.C.R.I.	K.E. Dashiell, L. L. Bello, A.C. Uwala & P. O. Oyekan.	Good seed storability, resistant to frog eye leaf spot.		1990	1996
Soybean	106	TGX-1485-1D	TGX-1485-1D	NGGM-96-13	IITA, Ibadan	IITA, Ibadan	K.E. Dashiell, C. Aken & D. K. Ojo.	Extra early maturity		1990	1996

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Soybean	107	TGX-1440-1E	TGX-1440-1E	NGGM-96-14	IITA, Ibadan	IITA, Ibadan	K.E. Dashiell, C. Aken, D. K. Ojo	Shattering and frog eye leaf spot resistant		1990	1996
Soybean	108	TGX-1448-2E	TGX-1448-2E	NGGM-96-15	Nigeria	IITA, Ibadan/NCRI, Badeggi	K.E. Dashiell, Dr. C. Aken, D. K. Ojo A.C, Uwala	Shattering and frog eye leaf resistant		1992	1996
Soybean	109	TGx 1835-10E	TGx 1835-10E	NGGM-08-16	IITA, Ibadan	IITA, Ibadan/NCRI, Badeggi	Dr. Ken Dashiell, Baffour Asafo-Adjei, Frederick Hakazimana, Ranajit, Bandyopadhyay, Hailu Tefera & M.N. Ishaq.	Early maturing, high promiscuous nodulation, highly resistant to rust, cercospora leaf spot and bacterial pustule. (1.5-2t/ha)		2008	2008
Soybean	110	TGx 1904-6F		NGGM-09-17	IITA, Ibadan	IITA, Ibadan/NCRI, Badeggi	Dr. Ken Dashiell, Baffour Asafo-Adjei, Frederick Hakazimana, Alpha Kamara, Hailu Tefera & M. N. Ishaq.	Medium maturing, high promi-scuous nodulation, high % nitrogen derived from atmosphere, high fodder yield and resistant to lodging, cercospora leaf spot and bacterial pustule. (1.5-2t/ha)	Forest Transition/Deriv ed Savanna and Northern Guinea Savanna	2008	2009
Soybean	111	TGx 1987-10F		NGGM-10-18	IITA, Ibadan	IITA, Ibadan/NCRI, Badeggi	Dr. Hailu Tefera, Dr. Ranajit, Bandyopadhyay, M.N. Ishaq & Dr. O. Shokalu	Early maturing, high promiscuous, highly resistant to rust, cercospora leaf spot and bacterial pustule. (1.5-2t/ha)	Forest Transition/Deriv ed Savanna and Northern Guinea Savanna	2010	2010
Soybean	112	TGx 1987-62F		NGGM-10-19	IITA, Ibadan	IITA, Ibadan/NCRI, Badeggi	Dr. Hailu Tefera, Dr. Ranajit, Bandyopadhyay, M.N. Ishaq & Dr. O. Shokalu	Early maturing, high promiscuous nodulation, highly resistant to rust, cercospora leaf spot and bacterial pustule. (2.1t/ha)	Forest Transition/Deriv ed Savanna and Northern Guinea Savanna	2010	2010
Soybean	113	TGx 1951-3F	TGx 1951-3F	NGGM-14-20	IITA, Ibadan	IITA, Ibadan/NCRI, Badeggi	Tefera H., M. N. Ishaq, L. Omoigui, A. Shaahu & A. Kamara	Low shattering, tolerant to rust, cercospora leaf spot and bacterial pustule and poor soils. (2.5t/ha)	Guinea and Sudan Savanna	2014	2014
Soybean	114	NCRISOY 1	TGx 1988-5F	NGGM-14-21	IITA, Ibadan	IITA, Ibadan/NCRI, Badeggi	Agrama, H., Ishaq, M.N., Ousmane, B., Adeleke, R., Bandyopadhyay, R., Olufajo, O., Ariyo J. Ojo D., Akande, S., IAR&T Ibadan, FUNAAB, IAR Zaria.	Extral early maturing, promiscuous nodulation, resistant to rust, cercospora leaf spot and bacteria pustule. (2.5t/ha)	Guinea and Sudan Savanna	2014	2014

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Soybean	115	NCRISOY 2	TGx 1989-19F	NGGM-14-22	IITA, Ibadan	IITA, Ibadan/NCRI, Badeggi	Agrama, H., Ishaq, M.N., Ousmane, B., Adeleke, R., Bandyopadhyay, R., Olufajo, O., Ariyo J. Ojo D., Akande, S., IAR&T Ibadan, FUNAAB, IAR Zaria.	High yield, promiscuous nodulation, resistant to rust, cercospora leaf spot. (3t/ha)	Guinea and Sudan Savanna	2014	2014
Forage Legume	116	ILRI-152	ILRI-152 <u>Centrosema pubescens</u> Benth	NGCP/FL-00-1	ILRI, Genebank, Ethiopia	ILRI, Ibadan, Nigeria	S.A. Tarawali, M.A. Mohammed Saleem, M. Peter	Slow to establish but subsequently persisted species. Outstanding ability to remain green in dry season and high nutritive value. Good soil improving properties. Can regenerate from roots after fire in dry season. Mediocre seed production. No anti nutritional qualities.		2000	2000
Forage Legume	117	ILRI-12463	ILRI-12463 <u>Aeschynomene histrix</u> Poin	NGAH/FL-00-2	ILRI, Genebank, Ethiopia	ILRI, Ibadan, and NAPRI Zaria	S.A. Tarawali, M. Peter O.S. Onifade	Excellent herbage production with high level of phosphorus and persistence in pastures. Good nutritive value. Good soil improving properties; can induce suicidal germination of <u>Striga-hermonthica</u> . Good seed production. Good competitive ability. No anti-nutritional qualities reported.		2000	2000
Forage Legume	118	ILRI-155	ILRI-155 <u>Centrosema brasilianum</u> (L.) Benth	NGCB/FL-00-3	ILRI, Genebank, Ethiopia	ILRI, Ibadan, and NAPRI, Zaria	S.A Tarawali, M.A. Mohammed Saleem, M. Peter, O.S. Onifade & E.C.Agishi	Slow to establish but subsequently persisted in pastures species. Outstanding ability to remain green in dry season and high nutritive value. Poor seed production. No anti-nutritional qualities reported		2000	2000

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Forage Legume	119	ILRI-9857	ILRI-9857 <u>Centrosema pascuorum</u> Benth Cv Cavalcade	NGCP/FL-00-4	ILRI, Genebank, Ethiopia	ILRI, Ibadan, and NAPRI Zaria	S.A Tarawali, M.A. Mohammed Saleem, M. Peter, G. Tarawali, O.S. Onifade & R.J. Tanko	Good pastures species even in low rainfall, produces good herbage in one wet season. High seed production to soil fertility. No anti-nutritional qualities reported.		2000	2000
Forage Legume	120	Wynn Cassia	ILRI-10918 <u>Chamaecrista rotundifolia</u> Green Cv Wynn	NGCR/FL-00-5	Australia	ILRI, Ibadan, and NAPRI, Zaria	S.A Tarawali, M.A. Mohammed Saleem, M.Peter, S.O. Onifade and A.M. Adamu	Extremely persistent pasture specie, positive effect on ruminant performance and soil fertility for subsequent cereal crops. Ability to regenerate very fast at start of wet season. Good seed production; good competitive ability with weeds. Low palatability restricted to light textured soil.		2000	2000
Forage Legume	121	ILRI-164	C.I.A.T.-184 <u>Stylosanthes gulanensis</u> (Aubl.) SW	NGSG/FL-00-6	C.I.A.T.-Cali, Colombia	ILRI, Ibadan and NAPRI, Zaria	J.A. Taraaali, M.A. Mohammed Saleem, M.Peter, S.O. Onifade and A.M. Adamu	Persistence in pastures. Grows adequately on soil with low phosphate. Remains green for parts of dry season. Good soil improving properties; poor seed production, palatable forage of high nutritive value. No anti nutritional qualities reported.		2000	2000
Forage Legume	122	ILRI-15557/ C.I.A.T.-11365	ILRI-15557/ C.I.A.T.-11365 <u>Stylosanthes gulanensis</u> (Aubl.) SW	NGSG/FL-00-7	C.I.A.T.-Cali, Colombia	ILRI, Ibadan Nigeria	S.A. Tarawali, M.Peter	Excellent herbage and persistent pasture. Remains green for part of dry season and of high nutritive value. Good soil improving properties. Poor seed production. Highly palatable. No anti nutritional qualities.		2000	2000
Forage Legume	123	ILRI-15876	ILRI-15876 <u>Stylosanthes hamata</u> (L.) Tanb.	NGSH/FL-00-8	Australia	ILRI, Ibadan Nigeria	S.A. Tarawali, M. Peter	Persistent pasture species, highly palatable, good soil improving properties; good seed production.			2000

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Forage Legume	124	ILRI-75	ILRI-75 <u>Stylosanthes hamata</u> (L.) Tanb.	NGSH/FL-00-9	Australia	ILRI, Ibadan Nigeria	E.C. Agishin, S.A. Tarawali, M.A. Mohammed Saleem, A.M. Adam, Y. Shehu, P.N. Deleaus, O.S Onifade, R.M. Otshina and G.Tarawali	Persistent pasture species give good ruminant performances when used as a supplement; good soil improving properties, good seed production. Fallen leaves palatable in the dry season. No anti-nutritional qualities reported.			2000
Groundnut	125	SAMNUT-1	M.K 374	NGAH 91-1	I.A.R. Samaru Zaria	I.A.R. Samaru Zaria	C.Harkness, W.C. Stonebridge	High oil content 53-55%(dry matter basis) yield: 2,500-3,000 kg/ha. (2.5-3t/ha)	Northern and Southern Guinea Savanna	1960	1991
Groundnut	126	SAMNUT-2	Samaru-38	NGAH 91-2	I.A.R. Samaru Zaria	I.A.R. Samaru Zaria	C.Harkness, W.C. Stonebridge	High oil content 53-55%(dry matter basis) yield: 2,500-3,000 kg/ha. (2.5-3t/ha)	Northern and Southern Guinea Savanna	1960	1991
Groundnut	127	SAMNUT-3	M-25.68	NGAH 91-3	I.A.R. Samaru Zaria	I.A.R. Samaru Zaria	C.Harkness, W.C. Stonebridge	High oil content 53-55%(dry matter basis), large seed weighing 52-55g (100 Seeds) Weight. (2.5-3t/ha)	Southern Guinea Savanna	1970	1991
Groundnut	128	SAMNUT-4	M-69.101	NGAH 91-4	Bombey Senegal	I.A.R. Samaru Zaria	C.Harkness, W.C. Stonebridge	Very high oil-content 55-65% (Dry matter basis) rosette res. Tolerant to leaf spot. (2.5-3t/ha)	Northern and Southern Guinea Savanna	1970	1991
Groundnut	129	SAMNUT-5	M-599.74	NGAH 91-5	I.A.R. Samaru Zaria	I.A.R. Samaru Zaria	C.Harkness, W.C. Stonebridge	High haul yield, oil content 51.5%, yield 2,500-3,000kg/ha. (2.5-3t/ha)	Southern Guinea Savanna	1970	1991
Groundnut	130	SAMNUT-6	M-95.71	NGAH 91-6	I.A.R. Samaru Zaria	I.A.R. Samaru Zaria	C.Harkness, W.C. Stonebridge	Oil content 52.5%, yield, 2,000-2,800kg/ha. (2-2.8t/ha)	Southern Guinea Savanna	1970	1991
Groundnut	131	SAMNUT-15	F.452.4	NGAH 91-7	Florida U.S.A.	I.A.R. Samaru		Large Seed size. (2.5-3t/ha)	Northern and Southern Guinea Savanna	1970	1991
Groundnut	132	SAMNUT-7	M.104.74	NGAH 91-8	IAR Samaru Zaria	IAR Samaru	C.Harkness	Moderately drought tolerant, oil content 51-52%, yield 2,000-2,800kg/ha, medium maturity (110-120 days). (2-2.8t/ha)	Sudan and Northern Guinea Savanna	1980	1991

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Groundnut	133	SAMNUT-8	M.103.74	NGAH 91-9	IAR Samaru Zaria	IAR Samaru	C.Harkness	Moderately drought tolerant, oil content 55-60%, yield 2,000-2,800kg/ha, medium maturity (110-120 days). (2-2.8t/ha)	Sudan and Northern Guinea Savanna	1980	1991
Groundnut	134	SAMNUT-9	M-59.127	NGAH 91-10	Introduction	IAR Samaru	C.Harkness	Drought tolerant, oil content and yielding moderate. (2.5-3t/ha)	Northern and Southern Guinea Savanna	1980	1991
Groundnut	135	SAMNUT-12	M-318.74	NGAH 91-11	I.A.R. Samaru Zaria	I.A.R. Samaru Zaria	C.Harkness	Very high oil-content 51-63% (Dry matter basis), yield 2,500-3,000kg/ha. (2.5-3t/ha)	Southern Guinea Savanna	1980	1991
Groundnut	136	SAMNUT-13	Spanish-205	NGAH 91-12	Introduction	IAR Samaru	C.Harkness	Drought tolerant, oil content 50-53%, yield 2,000-2,800kg/ha. (2-2.8t/ha)	Sudan and Northern Guinea Savanna	1980	1991
Groundnut	137	SAMNUT-10	RMP-12	NGAH91-13	Introduction	I.A.R. Samaru Zaria	C.Harkness	Large Seed size, very high oil content 55-60% (Dry matter basis), rosette resistant.	Northern and Southern Guinea Savanna	1988	1991
Groundnut	138	SAMNUT-11	RMP-91	NGAH 91-14	Introduction	I.A.R. Samaru Zaria	C.Harkness	Large Seed size, very high oil content 55-60% (Dry matter basis), rosette resistant. (2.5-3t/ha)	Northern and Southern Guinea Savanna	1988	1991
Groundnut	139	SAMNUT-14	55-437 (Ex-Dakar)	NGAH 91-15	Introduction from Senegal while original material came from Argentina via Hungary	I.A.R. Samaru Zaria		Drought tolerant, oil content 50-52% (Dry matter basis), yield 2,000-2,800kg/ha. (2-2.8t/ha)	Sudan and Northern Guinea Savanna	1988	1991
Groundnut	140	SAMNUT-16	M554.76	NGAH 91-16	I.A.R. Samaru Zaria	I.A.R. Samaru Zaria		Large high haul yield, high oil content 55-65% (Dry matter basis), rosette resistance, tolerant to early leaf spot, yield 2,800-3,000kg/ha. (2.8-3t/ha)	Northern and Southern Guinea Savanna	1988	1991
Groundnut	141	SAMNUT-17	48-115B	NGAH 91-17	Introduction	I.A.R. Samaru Zaria		Drought tolerant, oil content 53-55%, yield 2,000-2,800kg/ha. (2-2.8t/ha)	Sudan and Northern Guinea Savanna	1988	1991
Groundnut	142	SAMNUT-18	RRB (resistant Red-Bulk)	NGAH 91-18	I.A.R. Samaru Zaria	I.A.R. Samaru Zaria		Drought tolerant, oil content 53-55%, yield 2,000-2,800kg/ha. (2-2.8t/ha)	Sudan and Northern Guinea Savanna	1988	1991

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Groundnut	143	SAMNUT-19	K-270.78	NGAH 01-19	I.A.R. Samaru Zaria	I.A.R. Samaru Zaria	S.R. Boye Goni and P.E. Olorunju	High yielding and medium duration.		1992	2001
Groundnut	144	SAMNUT-20	M412.801	NGAH 01-20	I.A.R. Samaru Zaria	I.A.R. Samaru Zaria	S.R. Boye Goni and P.E. Olorunju	High yielding and resistant to rosette		1992	2001
Groundnut	145	SAMNUT-21	UGA-2	NGAH 01-21	I.A.R. Samaru Zaria	I.A.R. Samaru and ILRI-ICRISAT	P.E. Olorunju and A. Larbi	High seed and forage, yields and quality (dual purpose).		2000	2001
Groundnut	146	SAMNUT-22	M-572.801	NGAH 01-22	I.A.R. Samaru Zaria	I.A.R. Samaru Zaria and ILRI-ICRISAT	P.E. Olorunju and A. Larbi	High seed and forage, yields and quality (dual purpose).		2000	2001
Groundnut	147	SAMNUT-23	ICCGV-1596894	NGAH 01-23	ICRISAT Kano	ICRISAT Kano & I.A.R. Samaru Zaria	P.E. Olorunju	Extra early maturity and rosette resistant.		2000	2001
Groundnut	148	SAMNUT 24	ICIAR 19BT	NGAH-11-24	IAR, Samaru	IAR/ICRISAT	Echekwu C. A., B. Ntare, U. Alhassan, S. G. Mohammed & Y. D. Ndiripaya	Extra early maturing and rosette resistant, high oil content. (2t/ha)	Sudan and Northern Guinea Savanna	2011	2011
Groundnut	149	SAMNUT 25	ICGX-SM-00020/P5/P10	NGAH-13-25	ICRISAT Kano	ICRISAT Kano & I.A.R. Samaru Zaria	Echekwu, C.A., B. Ntare, U. Alhassan, O. Alabi, H. Ajeigbe, A.A. Yusuf, A. Jibunor & Ibrahim Mohammed	High rosette resistance, high yield and early maturity. (3.8t/ha)	Sudan and Northern Guinea Savanna	2013	2013
Groundnut	150	SAMNUT 26	ICGX-SM-00018/P5/P15/P2	NGAH-13-26	ICRISAT Kano	ICRISAT Kano & I.A.R. Samaru Zaria	Echekwu, C.A., B. Ntare, U. Alhassan, O. Alabi, H. Ajeigbe, A.A. Yusuf, A. Jibunor & Ibrahim Mohammed	High rosette resistance, high yield and early maturity. (3.8t/ha)	Sudan and Northern Guinea Savanna	2013	2013
Maize	151	NARZO-17	Western yellow	NGZM-91-1	Mixed germplasm from Carribean and Mexico	I.A.R.& T. Ibadan	Dr. Wiggin, Dr. A.O. Obajimi	High carotene content, good for ogi. Also good for poultry feeds.	Forest ecological zones	1971	1991
Maize	152	NARZO-18	096-EP6	NGZM-91-2	Nigeria	FDAR Ibadan	K. Raghathan and J. E. Iken	High carotene content, good for pap. Also good for poultry feeds.	Forest ecological zones	1975	1991
Maize	153	NARZO-15	TZPB	NGZM-91-3	IITA, Ibadan	IITA, Ibadan	M. Harrison	Big cobs, high yielding , rust blight resistant	Humid Forest	1975	1991
Maize	154	NARZO-16	TZB	NGZM-91-4	IITA, CIMMYT/NCRI (Nig. Composite A and B)	IITA, Ibadan	M. Harrison	High yielding, good for pap.	Forest and savanna ecological zones	1975	1991
Maize	155	NARZO-20	TZSR-W	NGZM-91-5	NCRI/IITA, Ibadan	NCRI/IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin, Z. T. Dabrowski & I. Buddenhagen	High yielding, and widely adapted, streak resistant	Forest and savanna ecological zones	1981	1991



Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	156	NARZO-21	TZSR-Y	NGZM-91-6	NCRI/IITA, Ibadan	NCRI/IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin, Z. T. Dabrowski & I. Buddenhagen	High yielding, and widely adapted, streak resistant	Forest and savanna ecological zones	1981	1991
Maize	157	NARZO-24	DMR-LSRW	NGZM-91-7	IITA, Ibadan	IITA, Ibadan	J.M. Fajemisin	Reistant to dowry mildew, sturdy and vigorous plants	Forest and savanna ecological zones	1984	1991
Maize	158	NARZO-25	DMR-LSRY	NGZM-91-8	IITA, Ibadan	IITA, Ibadan	J.M. Fajemisin	Reistant to dowry mildew, sturdy and vigorous plants	Forest and savanna ecological zones	1984	1991
Maize	159	NARZH-1	8321-18	NGZM-91-9	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	Resistant to streak, striga/ weevil; semi-flint garin. High yielding-6.5t/ha.	Forest and savanna ecological zones	1984	1991
Maize	160	NARZH-2	8321-21	NGZM-91-10	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding, 6t/ha Resistant to streak, rust blight, dent grain texture.	Forest and savanna ecological zones	1984	1991
Maize	161	NARZH-3	8522-3	NGZM-91-11	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding, 6t/ha Resistant to streak, rust blight, dent grain texture.		1984	1991
Maize	162	NARZH-4	8522-13	NGZM-91-12	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding 6t/ha, resistant to streak and striga, semi-dent graint texture.	Forest and savanna ecological zones	1984	1991
Maize	163	NARZH-6	8341-5	NGZM-91-13	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding 6t/ha, resistant to streak and striga, semi-dent graint texture.		1984	1991
Maize	164	NARZH-7	8425-8	NGZM-91-14	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding 6t/ha, resistant to streak and striga, semi-dent graint texture.		1985	1991
Maize	165	NARZH-8	8425-19	NGZM91-15	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding 6t/ha, resistant to streak, striga, semi-dent.	Savanna Ecological Zones	1985	1991
Maize	166	NARZH-9	8434-11	NGZM-91-16	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding, resistant to streak and storage weevil, semi flint grain. High yielding 5t/ha.	Forest / Savanna ecologies	1985	1991
Maize	167	NARZH-10	8505-2	NGZM91-17	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding 6t/ha, resistant to streak and striga, semi-dent grain.	Savanna ecologies	1986	1991
Maize	168	NARZH-11	8505-3	NGZM-91-18	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	Same as above but semi-flint grain	Savanna ecologies	1986	1991

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	169	NARZH-12	8505-4	NGZM-91-19	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding 6t/ha, tolerant to streak and striga, semi-flint grain texture.	Forest ecologies	1986	1991
Maize	170	NARZH-13	8505-5	NGZM-91-20	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding 6t/ha, tolerant to streak and striga, semi-flint grain texture.	Savanna ecologies	1986	1991
Maize	171	NARZH-14	8505-13	NGZM-91-21	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding 6t/ha, tolerant to streak and striga, semi-flint grain texture.		1986	1991
Maize	172	NARZH-5	8341-5	NGZM-91-22	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding, resistant to streak and weevil, flint grain texture.		1984	1991
Maize	173	NARZO-1	DIACOL-153	NGZM-91-23	Latin America (Mexico)	FDAR, Ibadan	Dr. Van Eijnatter	Big cobs	Forest ecologies	1950	1991
Maize	174	NARZO-2	H 503	NGZM-91-24	Latin America (Mexico)	FDAR, Ibadan		Big grain type, flowry kernels, good for pap	Forest ecologies	1950	1991
Maize	175	NARZO-3	H 507	NGZM-91-25	Latin America (Mexico)	FDAR, Ibadan		Big grain type, flowry kernels, good for pap		1950	1991
Maize	176	NARZO-4	EAFRO-231	NGZM-91-26	Latin America (Mexico)	FDAR, Ibadan		Big grain type, flowry kernels, good for pap		1950	1991
Maize	177	NARZO-5	SICARAGUA	NGZM-91-27	Latin America (Mexico)	FDAR, Ibadan		Big grain type, flowry kernels, good for pap		1952	1991
Maize	178	NARZO-6	NS-1	NGZM-91-28	FDAR, Ibadan	FDAR, Ibadan	Dr. Van Eijnatter	Very good for pap, high in carotene and protein content	Diverse Ecologies	1954	1991
Maize	179	NARZO-7	NS-D	NGZM-91-29	FDAR, Ibadan	FDAR, Ibadan	Dr. Van Eijnatter	Very good for pap, high in carotene and protein content		1963	1991
Maize	180	SAMMAZ-7	Biu yellow	NGZM-91-30	U.S.A.	I.A.R, Samaru Zaria		Bright yellow seed, tolerant to maize rust & virus streak, tolerant to stem borer.	Northern Guinea Savanna	1969	1991
Maize	181	NARZO-9	NCA	NGZM-91-31	Composite from Mexican Varieties	FDAR, Ibadan	J. Craig, H. Wiggins & F. deWolf	High yielding, yellow composite	All agro-ecologies	1972	1991
Maize	182	NARZO-10	NCB	NGZM-91-32	Composite from Mexican Varieties	FDAR, Ibadan	J. Craig & F. deWolf	Short, sturdy plants	Forest ecologies	1972	1991
Maize	183	NARZO-11	NCC	NGZM-91-33	FDAR, (NCRI) Ibadan	FDAR, (NCRI) Ibadan	Dr. Obilana	High content of carbohydrates and floury	Forest ecologies	1972	1991
Maize	184	NARZO-12	BIU-XYC-10	NGZM-91-34	IAR, Samaru	IAR, Samaru		High flinty maize	Savanna ecologies	1972	1991

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	185	SAMMAZ-8	S.1.2.3. composite	NGZM-91-35	IAR, Samaru	IAR, Samaru		Predominantly white seeded with some yellow, tolerant to rust & streak virus and stem borer.	Northern Guinea Savanna	1972	1991
Maize	186	SAMMAZ-9	NCA	NGZM-91-36	IAR, Samaru	IAR, Samaru		Early maturity	Savanna ecologies	1972	1991
Maize	187	NARZO-19	KEWESOKE	NGZM-91-37	I.A.R. & T. Ibadan	I.A.R. & T. Ibadan	Dr. Obajimi	Good for mixed cropping	Forest	1980	1991
Maize	188	NARZO-22	TZESR-W	NGZM-91-38	I.A.R. & T./IITA Ibadan	IITA Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	Resistant to downy mildew, rust and blight.	Forest / Savanna ecologies	1982	1991
Maize	189	NARZO-23	TZESR-Y	NGZM-91-39	I.A.R. & T./IITA Ibadan	IITA Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	Resistant to streak, rust and blight.	Forest / Savanna ecologies	1982	1991
Maize	190	NARZO-26	DMR-ESRW	NGZM-91-40	NCRI/IITA, Ibadan	NCRI/IITA, Ibadan	Dr. Fajemisin	Resistance to downy mildew streak, rust and blight.	Forest / Savanna ecologies	1984	1991
Maize	191	NARZO-27	DMR-ESRY	NGZM-91-41	NCRI/IITA, Ibadan	NCRI/IITA, Ibadan	Maize team	Resistance to downy mildew streak, rust and blight.	Forest / Savanna ecologies	1984	1991
Maize	192	NARZO-28	TZMSR-W	NGZM-91-42	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron, D. Makonnen, L. Everett, Z. T. Dabrowski & J. M. Fajemisin	Resistance to downy mildew streak, rust and blight.		1985	1991
Maize	193	NARZO-29	TZBSR	NGZM-91-43	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron & J. H. Mareck	Resistance to downy mildew streak, rust and blight.	Savanna ecologies	1986	1991
Maize	194	NARZO-30	TZPB-SR	NGZM-91-44	IITA, Ibadan	IITA, Ibadan	S. K. Kim, Y. Efron & J. M. Fajemisin	High yield, 5.0 ton/ha resistant to streak, rust and blight	Forest ecologies	1987	1991
Maize	195	NARZH-15	8644-27	NGZM 96-45	Nigeria	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yield 6.0 ton/ha, resistant to streak and downy mildew, flint grain type.		1996	1996
Maize	196	NARZH-16	8644-31	NGZM 96-46	Nigeria	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yield 6.5 ton/ha, resistant to streak, downy mildew, and drought, dent grain type.		1996	1996
Maize	197	NARZH-17	8644-32	NGZM 96-47	Nigeria	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding 6.0t/ha resistant to streak, downy mildew, semident grain.		1996	1996
Maize	198	NARZH-18	8505-6	NGZM 96-48	Jos, Nigeria	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding, resistant to streak, blight and rust, late maturing, mid-altitude adapted.		1996	1996

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	199	NARZH-20	8516-12(SX)	NGZM 96-49	Nigeria	IITA, Ibadan	S. K. Kim, Y. Efron, J. M. Fajemisin & Z. T. Dabrowski	High yielding 5t/ha, resistant to streak and eldama, dent grain type.		1996	1996
Maize	200	SUWAN 1-SR	SUWAN 1-SR	NGZM 96-50	Nigeria	IITA, Ibadan	J. H. Mareck, J. Kling, N. Bosque-Perez & K. Cardwell	Resistant to downy mildew and streak.		1996	1996
Maize	201	TZL Composite 4-SR	TZL Composite 4-SR	NGZM 96-51	Nigeria	IITA, Ibadan	J. H. Mareck, J. Kling & N. Bosque-Perez	High yielding, white seeded.		1996	1996
Maize	202	EV-9043 DMRR-SR	EV-9043 DMRR-SR	NGZM 96-52	C.I.M.M.Y.T/MEXICO/IITA, Ibadan	MRP, IITA Ibadan	M. Bjarnasson, C. Y. Tang, J. H. Mareck, J. Kling & K. Cardwell	Resistant to downy mildew and streak, white grains		1996	1996
Maize	203	Oloyin	ART- 98-SW-1	NGZM-01-53	Nigeria	I.A.R. & T. Ibadan	Dr. B.A. Ogunbodede	Sweet and high in protein 14.33%		2001	2001
Maize	204	SAMMAZ-11	TZL COMP1-W	NGZM-01-54	IITA, Ibadan	IITA, Ibadan	J.G. Kling, Dr. S.G. Ado and S.T.O. Lagoke	Striga resistant, high yield potential and suitable for intercropping.		2001	2001
Maize	205	SAMMAZ-12	95 TZEE-W1	NGZM-01-55	IITA, Ibadan WECAMAN	IITA, Ibadan	Dr. Badu-Apraku, J.G. Kling, A. Menkir and S.G. Ado	Extra earliness, high yield potential and suitable in area with > 600mm rainfall distributed within 80days.		2001	2001
Maize	206	SAMMAZ 13	95 TZEE-Y1	NGZM-01-56	IITA, Ibadan WECAMAN	IITA, Ibadan	Dr. Badu-Apraku, J.G. Kling, A. Menkir and S.G. Ado	Extra earliness, high yield potential and suitable in area with > 600mm rainfall distributed within 80days.		2001	2001
Maize	207	(OBA-FEMI)	PH-2	NGZM-01-57	Premier Seed Nig. Ltd., Zaria	Premier Seed Nig. Ltd., Zaria	Dr. Joshua, Dr. M.O. Omidiji, Mr. L.A. Oke & R.I.O. Amusan	Short plant type, high yield potential, resistant to lodging, good for mechanized harvesting.		2001	2001
Maize	208	(OBA-99)	PH-5	NGZM-01-58	Premier Seed Nig. Ltd., Zaria	Premier Seed Nig. Ltd., Zaria	Dr. Joshua, Dr. M.O. Omidiji, Mr. L.A. Oke & R.I.O. Amusan	High yielding potential, quality protein maize		2001	2001
Maize	209	(OBA-98)	PH-6	NGZM-01-59	Premier Seed Nig. Ltd., Zaria	Premier Seed Nig. Ltd., Zaria	Dr. Joshua, Dr. M.O. Omidiji, Mr. L.A. Oke & R.I.O. Amusan	High yielding potential, quality protein maize		2001	2001
Maize	210	YELLOW (POPCORN) COMPOSITE	I.A.R. & T. YELLOW POP	NGZM-01-60	I.A.R. & T.	I.A.R. & T.	Dr. A.O. obajimi	Resistant to Blight and Rust, yield 2kg/ha.	All ecological zones	1979	2001
Maize	211	WHITE (POPCORN)	I.A.R. & T. WHITE POP	NGZM-01-61	I.A.R. & T.	I.A.R. & T.	Dr. A.O. obajimi	Moderately resistant to blight and Rust.	All ecological zones	1979	2001
Maize	212	SAMMAZ 14	OBATANPA	NGZM-05-62	CRI, Kumasi Ghana	IAR, Samaru	S.G. Ado, F.A. Showemimo, A.M. Falaki, S.O. Alabi & U.S. Abdullahi	High lysine and tryptophane contents, medium maturing, good seed quality, high yield, tolerance to Striga.		2005	2005

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro- Ecological Zones	Year of Release	Year of Registry
Maize	213	SAMMAZ 15	IWDC2SynF2	NGZM-08-63	IITA Ibadan	IITA Ibadan	A. Menkir, J.M. Fajemisin, B. Badu-Apraku, S.G. Ado & F.A. Showemimo	Medium maturing, good seed quality, high yield potential, tolerance to <i>Striga hermonthica</i> . (6.9t/ha)		2008	2008
Maize	214	SAMMAZ 16	TZLComp1SynW-1	NGZM-08-64	IITA Ibadan	IITA Ibadan	A. Menkir, B. Badu-Apraku, J.G. Kling, S.G. Ado & F.A. Showemimo	Late maturing, good seed quality, high yield, resistance to <i>Striga hermonthica</i> . (6.4t/ha)		2008	2008
Maize	215	FARALOKUN	ART-98-SW6-OB	NGZM-09-65	I.A.R&T, Ibadan	I.A.R&T, Ibadan	Dr. S. A. Olakojo, Prof. B. A. Ogunbodede and Dr. G. Olaoye	High level of lysine (3.67%) and Tryptophan (0.87%), earliness in maturity was admired by farmers. (4.0-4.6t/ha)	Forest, derived Savanna and Savanna zones	2009	2009
Maize	216	MAYOWA	ILE1-OB	NGZM-09-66	I.A.R&T, Ibadan	I.A.R&T, Ibadan	Dr. S. A. Olakojo, Prof. B. A. Ogunbodede and Dr. G. Olaoye	High level of lysine (3.67%) and Tryptophan (0.87%). Earliness in maturity placed it at advantage especially dryer environment. (4.0-4.96t/ha)	Forest, derived Savanna and Savanna zones	2009	2009
Maize	217	BR9943 DMRSR	BR 9943 DMRSR	NGZM-09-67	IITA, Ibadan	IITA Ibadan	Dr. S. O. Ajala, Dr. J. Kling, Dr. A. Menkir, Dr. G. Olaoye and Dr. S. A. Olakojo	Highly resistant to stem borers (both <i>Sesamia calamistis</i> and <i>Eldana sacharina</i> ). (3-4t/ha)	Forest zone	2009	2009
Maize	218	BR9928 DMRSR	BR9928 DMRSR	NGZM-09-68	IITA, Ibadan	IITA Ibadan	Dr. S. O. Ajala, Dr. J. Kling, Dr. J. Kling, Dr. A. Menkir, Dr. G. Olaoye, Dr. S. A. Olakojo, Mr. S. A. Adedeji, Dr. S. A. Ajayi Dr. L. T. Ogunremi	Highly resistant to stem borers (both <i>Sesamia calamistis</i> and <i>Eldana sacharina</i> ). (3-4t/ha)	Forest transition / Derived Savanna	2009	2009
Maize	219	Ama TZBR-W	Amakama TZBR-W	NGZM-09-69	IITA, Ibadan	IITA Ibadan	Dr. S.O. Ajala, Prof. B.A. Ogunbodede, Dr. J. Kling, Dr. A. Menkir, Dr. G. Olaoye, Dr. S. A. Olakojo, Mr. S. A. Adedeji and Dr. L. T. Ogunremi	Highly resistant to stem borers (both <i>Sesamia calamistis</i> and <i>Eldana sacharina</i> ). (3-4t/ha)	Humid forest, Forest transition / Derived Savanna	2009	2009
Maize	220	TZBR Eld 3-W	TZBR Eld 3C5	NGZM-09-70	IITA, Ibadan	IITA Ibadan	Dr. S.O. Ajala, Dr. J. G. Kling, Dr. A. Menkir, Dr. G. Olaoye, Dr. S. A. Olakojo and Prof. B.A. Ogunbodede	Highly resistant to stem borers (both <i>Sesamia calamistis</i> and <i>Eldana sacharina</i> ). (3-4t/ha)	Humid forest, Forest transition / Derived Savanna	2009	2009

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	221	SAMMAZ 17	Acr Sakatifu C4	NGZM-09-71	IAR, Samaru	IAR, Samaru	Prof. S.G. Ado, Dr. I.S. Usman, Dr. U.S. Abdullahi and Mr. M. Yusuf	High yield, medium maturity and Striga tolerance. (5t/ha)	Low land Tropics	2009	2009
Maize	222	SAMMAZ 18	Tillering maize	NGZM-09-72	IAR, Samaru	IAR, Samaru	Prof. S.G. Ado, Dr. I.S. Usman, Dr. U.S. Abdullahi and Mr. M. Yusuf	High yield, early maturity and Striga tolerance. (4.5t/ha)	Low land Tropics	2009	2009
Maize	223	SAMMAZ 19	S.14 DKD DT	NGZM-09-73	IAR, Samaru	IAR, Samaru	Prof. S.G. Ado, Dr. I.S. Usman, Dr. U.S. Abdullahi and Mr. M. Yusuf	High yield, drought and Striga tolerance. (5t/ha)	Low land Tropics	2009	2009
Maize	224	SAMMAZ 20	TZE Comp 3DT	NGZM-09-74	IITA, Ibadan	IITA Ibadan	Dr. A. Menkir, Prof. S.G. Ado, Dr. S.O. Ajala, Dr. B. Badu-Apraku, Dr. I.S. Usman, Dr. A. Kamara, Prof. J. E. Onyibe, Dr. L. T. Ogunremi and Dr. J. Shebayan	Highly tolerant to drought with resistance to streak and tolerance to low soil nitrogen. (3-4t/ha)	Drought prone areas	2009	2009
Maize	225	SAMMAZ 21	TZE Comp 5-W	NGZM-09-75	IITA, Ibadan	IITA Ibadan	Dr. A. Menkir, Prof. S.G. Ado, Dr. J.G. Kling, Dr. B. Badu-Apraku, Dr. S.O. Ajala, Dr. A. Kamara, Dr. I. Kureh, Dr. Dugje and Dr. Shuaib Adamu	Highly tolerant to <i>Striga hermonthica</i> infestation. (1.5-2t/ha)	Striga prone areas	2009	2009
Maize	226	SAMMAZ 26	DTSR-WC1	NGZM-09-76	IITA, Ibadan	IITA Ibadan	Dr. A. Menkir, Prof. S.G. Ado, Dr. S.O. Ajala Dr. B. Badu-Apraku, Dr. I.S. Usman, Dr. U.S. Abdullahi, Dr. A. Kamara, Prof. J. E. Onyibe, Dr. L. T. Ogunremi and Dr. J. A. Y. Shebayan	Highly tolerant to drought with resistance to streak and tolerance to low soil nitrogen. (3-4t/ha)	All agro-ecological zones	2009	2009

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	227	SAMMAZ 27	EV99DT-W-STR	NGZM-09-77	IITA, Ibadan	IITA Ibadan	Dr. B. Badu-Apraku, Dr. A. Menkir, Prof. S.G. Ado, Dr. F.A. Showemimo, Dr. S.O. Ajala Prof. M.A.B. Fakorede, Dr. U.S. Abdullahi, Prof. J. E. Onyibe, Dr. I. Dugje, Dr. I. Kureh, Dr. I. S. Usman, Dr. A. Kamara and Dr. J. A. Y. Shebayan	Drought tolerant and Striga resistant. (5.5t/ha)	Low land Tropics	2009	2009
Maize	228	SAMMAZ 28	99TZEE-Y-STR	NGZM-09-78	IITA, Ibadan	IITA Ibadan	Dr. B. Badu-Apraku, Dr. A. Menkir, Dr. F.A. Showemimo, Dr. S.O. Ajala Prof. M.A.B. Fakorede, Prof. J. E. Onyibe, Dr. I. Dugje, Dr. I. Kureh, Dr. I. S. Usman, Dr. A. Kamara and Dr. J. A. Y. Shebayan	Drought and Striga tolerant. (4.0t/ha)	Low land Tropics	2009	2009
Maize	229	SAMMAZ 29	2000SynEE-W-STR	NGZM-09-79	IITA, Ibadan	IITA Ibadan	Dr. B. Badu-Apraku, Dr. A. Menkir, Dr. F.A. Showemimo, Dr. S.O. Ajala Prof. M.A.B. Fakorede, Prof. J. E. Onyibe, Dr. I. Dugje, Dr. I. Kureh, Dr. I. S. Usman, Dr. A. Kamara and Dr. J. A. Y. Shebayan	Extra early maturing drought escaping and Striga tolerant. (4.0t/ha)	Low land Tropics	2009	2009
Maize	230	SAMMAZ 30	LNTPxLNP-W C3	NGZM-09-80	IITA, Ibadan	IITA Ibadan	Dr. S.O. Ajala, Dr. J. Kling, Dr. A. Menkir, Dr. S. O. Alabi, Prof. S.G. Ado, Dr. I. Kureh and Dr. L. T. Ogunremi	Highly tolerant to low soil nitrogen with resistance to streak. (3.5-4t/ha)	Northern and Sudan Savanna	2009	2009
Maize	231	SAMMAZ 31	LNTP-Y-C5	NGZM-09-81	IITA, Ibadan	IITA Ibadan	Dr. S.O. Ajala, Dr. J. Kling, Dr. A. Menkir, Dr. S. O. Alabi, Prof. S.G. Ado, Dr. I. Kureh and Dr. L. T. Ogunremi	Highly tolerant to low soil nitrogen with resistance to streak. (3.5-4t/ha)	All agro-ecological zones	2009	2009

<b>Crop_Name</b>	<b>S/N</b>	<b>Variety Name</b>	<b>Original Name</b>	<b>National Code</b>	<b>Origin/Source</b>	<b>Developing Institute</b>	<b>Breeder/ Collaborating Scientists</b>	<b>Outstanding Characteristics/ Potential Yields</b>	<b>Agro-Ecological Zones</b>	<b>Year of Release</b>	<b>Year of Registry</b>
Maize	232	SAMMAZ 22	M0826-1	NGZM-09-82	IITA, Ibadan	IITA Ibadan	Dr. A. Menkir, Prof. S.G. Ado, Dr. B. Badu-Apraku, Dr. S.O. Ajala, Dr. I.S. Usman, Dr. U.S. Abdullahi Dr. J. A. Y. Shebayan and Prof. J. E. Onyibe	Highly tolerant to drought with resistance to streak and tolerance to low soil nitrogen. (2-4t/ha)	Northern Guinea Savanna	2009	2009
Maize	233	SAMMAZ 23	M0826-3	NGZM-09-83	IITA, Ibadan	IITA Ibadan	Dr. A. Menkir, Prof. S.G. Ado, Dr. B. Badu-Apraku, Dr. S.O. Ajala, Dr. I.S. Usman, Dr. U.S. Abdullahi Dr. J. A. Y. Shebayan and Prof. J. E. Onyibe	Highly tolerant to drought with resistance to streak and tolerance to low soil nitrogen. (3-4t/ha)	Northern Guinea Savanna	2009	2009
Maize	234	SAMMAZ 24	M0826-7	NGZM-09-84	IITA, Ibadan	IITA Ibadan	Dr. A. Menkir, Prof. S.G. Ado, Dr. B. Badu-Apraku, Dr. S.O. Ajala, Dr. I.S. Usman, Dr. U.S. Abdullahi Dr. J. A. Y. Shebayan and Prof. J. E. Onyibe	Highly tolerant to drought with resistance to streak and tolerance to low soil nitrogen. (3-4t/ha)	Northern Guinea Savanna	2009	2009
Maize	235	SAMMAZ 25	M0826-11	NGZM-09-85	IITA, Ibadan	IITA Ibadan	Dr. A. Menkir, Prof. S.G. Ado, Dr. B. Badu-Apraku, Dr. S.O. Ajala, Dr. I.S. Usman, Dr. U.S. Abdullahi Dr. J. A. Y. Shebayan and Prof. J. E. Onyibe	Highly tolerant to drought with resistance to streak and tolerance to low soil nitrogen. (3-4t/ha)	Northern Guinea Savanna	2009	2009
Maize	236	Oba Super 3	H16-8	NGZM-09-86	IITA, Ibadan	IITA, Ibadan	A. Menkir, O. A. Ibikunle and M. O. Omidiji	High yield, more adapted to rain forest ecology, more amenable to manual harvesting and excellent husk cover which makes it less prone to ear rot. (7-8t/ha)	Rainforest and low land Savanna ecologies	2009	2009
Maize	237	Oba Super 4	HY02-2	NGZM-09-87	IITA, Ibadan	IITA, Ibadan	A. Menkir, O. A. Ibikunle and M. O. Omidiji	More adapted to the rain forest ecology and high yield. (6-7t/ha)	Rainforest and low land Savanna ecologies	2009	2009



Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro- Ecological Zones	Year of Release	Year of Registry
Maize	238	Oba Super 5	H06-15	NGZM-09-88	IITA, Ibadan	IITA, Ibadan	A. Menkir, O. A. Ibikunle and M. O. Omidiji	Highly prolific expressed in good yield, more tolerant to lodging, excellent plant and ear aspect, more suitably adapted to mechanized harvesting, shining, more attractive creamy-white seeds and drought tolerant. (8-9t/ha)	Rainforest and low land Savanna ecologies	2009	2009
Maize	239	Oba Super 6	HY02-5	NGZM-09-89	IITA, Ibadan	IITA, Ibadan	A. Menkir, O. A. Ibikunle and M. O. Omidiji	More adapted to Southern Guinea Savanna, Northern Guinea Savanna and Sudan Savanna ecologies, high yield, drought tolerant, low soil nitrogen-efficient, excellent plant and ear aspect. (7-8t/ha)	Rainforest and low land Savanna ecologies	2009	2009
Maize	240	Oba Super 7	05-1STR	NGZM-09-90	IITA, Ibadan	IITA, Ibadan	A. Menkir, O. A. Ibikunle and M. O. Omidiji	Highly Striga resistant, more adapted to NGS and Sudan Savanna ecologies, drought tolerant, low soil nitrogen-efficient, supports low striga emergence, high yield potential, good for sole cropping and rotation with legumes (integrated striga control) and high starch content. (4t/ha)	Rainforest and low land Savanna ecologies	2009	2009
Maize	241	Oba Super 9	05-02STR	NGZM-09-91	IITA, Ibadan	IITA, Ibadan	A. Menkir, O. A. Ibikunle and M. O. Omidiji	Striga resistant, more adapted to the Derived Savanna and SGS, supports low striga emergence and good for sole cropping and rotation with legumes (integrated striga control). (3.5t/ha)	Rainforest and low land Savanna ecologies	2009	2009

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	242	SAMMAZ 32	99 TZEE-Y pop STR QPM CO	NGZM-11-92	IITA, Ibadan	IITA, Ibadan	B. Badu-Apraku, A. Menkir, S.G. Ado, I.S. Usman, U.S. Abdullahi & H. Abubakar	Extra early maturing, quality protein maize, good cob and seed size, Striga resistant, drought escaping, and tolerant to maize streak virus disease. (4.3t/ha)	Sudan Savanna and transition zone between Sudan and Northern Guinea savanna	2011	2011
Maize	243	SAMMAZ 33	2000 Syn EE-W STR QPM CO	NGZM-11-93	IITA, Ibadan	IITA, Ibadan	B. Badu-Apraku, A. Menkir, S.G. Ado, I.S. Usman, U.S. Abdullahi & H. Abubakar	Extra early maturing, quality protein maize, good cob and seed size, Striga resistant, drought tolerance, and tolerant to maize streak virus disease. (3.9t/ha)	Sudan Savanna and transition zone between Sudan and Northern Guinea savanna	2011	2011
Maize	244	SAMMAZ 34	IAR Multi-cob Early DT, Multicob	NGZM-11-94	IAR Abu, Zaria	IAR, Samaru, IITA, Ibadan	S.G. Ado, A. Menkir, B. Badu-Apraku, I.S. Usman, U.S. Abdullahi & H. Abubakar	Prolific cob bearing (1-2), good stay green, good quality fodder. (4.7t/ha)	Sudan Savanna and transition zone between Sudan and Northern Guinea savanna	2011	2011
Maize	245	SAMMAZ 35	2000 EV DT-Y STR C4	NGZM-11-95	IAR Abu, Zaria	IAR, Samaru, IITA, Ibadan	S.G. Ado, A. Menkir, B. Badu-Apraku, I.S. Usman, U.S. Abdullahi & H. Abubakar	Good grain quality, Resistant to Striga hermonthica. (4.5t/ha)	Sudan Savanna and transition zone between Sudan and Northern Guinea savanna	2011	2011
Maize	246	SAMMAZ 36	IAR Pool QPM-Y, CM 2007 Pool QPM-Y	NGZM-11-96	IAR Abu, Zaria	IAR, Samaru	S.G. Ado, I.S. Usman, U.S. Abdullahi & H. Abubakar	Good stay green, Excellent husk cover. (5.3t/ha)	Nigeria Savanna	2011	2011
Maize	247	SAMMAZ 37	Pop66. SR/Acr 91 SUWAN-1-SR	NGZM-11-97	IITA, Ibadan	IITA, Ibadan, IAR, Samaru	A. Menkir, B. Badu-Apraku, S.G. Ado, I.S. Usman, U.S. Abdullahi & H. Abubakar	Good quality grains, Tolerance to maize streak virus disease, drought and striga infestation. (5.9t/ha)	Nigeria Savanna	2011	2011
Maize	248	Ife Maizehyb-1	LW 0618-42	NGZM-12-98	IITA, Ibadan	IITA, Ibadan & IAR&T Ibadan	Dr S.A. Olakojo, Dr A. Menkir, Dr S.O. Ajala, Prof B.A. Ogunbodede, C.A. Awe & ADPs	High protein content (9-12%), high yield, good seed quality. (5.6-6t/ha)	Derived and Southern Guinea Savanna	2012	2012

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	249	Ife Maizehyb-2	LW 0904-13	NGZM-12-99	IITA, Ibadan	IITA, Ibadan & IAR&T Ibadan	Dr A. Menkir, Prof B.A. Ogunbodede, Dr S.A. Olakojo, Dr S. Mesaka, C.A. Awe & ADPs	High yield, good seed quality and tolerance to root and stem lodging. (6.65t/ha)	Forest and Southern Guinea Savanna	2012	2012
Maize	250	Ife Maizehyb-3	A0905-28	NGZM-12-100	IITA, Ibadan	IITA, Ibadan & IAR&T Ibadan	Prof B.A. Ogunbodede, Dr A. Menkir, Dr S.A. Olakojo, Dr S.O. Ajala, C.A. Awe & ADPs	High yield, good seed quality, high pro-vitamin A. (6.65t/ha)	Forest and Southern Guinea Savanna	2012	2012
Maize	251	Ife Maizehyb-4	A0905-32	NGZM-12-101	IITA, Ibadan	IITA, Ibadan & IAR&T Ibadan	Dr S.A. Olakojo, Dr A. Menkir, Prof B.A. Ogunbodede, Dr S. Mesaka, Dr S.O. Ajala, C.A. Awe & ADPs	High yield, good seed quality, high pro-vitamin A. and nitrogen use efficient. (6.65t/ha)	Forest and Southern Guinea Savanna	2012	2012
Maize	252	SNK2778	SNK2778	NGZM-12-102	Monsanto, South Africa	Monsanto, The Candel Company Limited, Nigeria	Monsanto, S.G. Ado, I.S. Usman, U.S. Abdullahi & H. Abubakar	High yield, large grain use, tolerant to lodging and stem breakage. (8.4t/ha)	Nigeria Savanna	2012	2012
Maize	253	SAMMAZ 38	PVA SYN2	NGZM-13-103	IITA, Ibadan	IITA, Ibadan & IAR, Samaru, Zaria	Abebe Menkir, S.G. Ado, I.S. Usman, I.Y. Dugje, A.D. Halilu & H. Abubakar	Intermediate level of pro-vitamin A content (5.7µg/g), high yield potential. (6.4t/ha)	Nigeria Savanna	2013	2013
Maize	254	SAMMAZ 39	PVA SYN8	NGZM-13-104	IITA, Ibadan	IITA, Ibadan & IAR, Samaru, Zaria	Abebe Menkir, S.G. Ado, I.S. Usman, A.D. Halilu, I.Y. Dugje & H. Abubakar	Intermediate level of pro-vitamin A content (6.4µg/g), high yield potential. (6.8t/ha)	Nigeria Savanna	2013	2013
Maize	255	Ife Maizehyb-5	EEWH-21	NGZM-13-105	IITA, Ibadan	IITA, Ibadan, IAR&T, Ibadan & IAR, Samaru, Zaria	B. Badu-Apraku, S.A. Olakojo, G. Olaoye, M. Oyekunle, M.A.B. Fakorede, B.A. Ogunbodede, S.E. Aladele, F.A. Oluwasanmi, C.A. Awe, T.O. Sopitan & U.S. Abdullahi	Extra-early maturing, high grain yield, <i>Striga</i> resistant, drought and low soil nitrogen tolerant, high protein content. (5.6-6t/ha)	Forest and Savanna agro-ecologies	2013	2013
Maize	256	Ife Maizehyb-6	EEWH-26	NGZM-13-106	IITA, Ibadan	IITA, Ibadan, IAR&T, Ibadan & IAR, Samaru, Zaria	B. Badu-Apraku, S.A. Olakojo, G. Olaoye, M. Oyekunle, M.A.B. Fakorede, B.A. Ogunbodede, S.E. Aladele, F.A. Oluwasanmi, C.A. Awe, T.O. Sopitan & U.S. Abdullahi	Extra-early maturing, high grain yield, <i>Striga</i> resistant, tolerant to drought and low soil nitrogen. (5-6t/ha)	Forest and Savanna agro-ecologies	2013	2013

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	257	SAMMAZ 40	DTSTR-Y SYN2	NGZM-13-107	IITA, Ibadan	IITA, Ibadan & IAR, Samaru, Zaria	Abebe Menkir, S.G. Ado, G. Olaye, I.S. Usman, J.E. Onyibe, I.Y. Dugie & R.A. Omolehin	High yield potential; Tolerant to drought and <i>Striga hermonthica</i> . (7.1t/ha)	Nigeria Savanna	2013	2013
Maize	258	SC719	SC719	NGZM-14-108	Seed Co Ltd., Harare, Zimbabwe	Seed Co West Africa, Abuja, IAR, Samaru, IAR&T, Ibadan & IITA, Ibadan	Paul Rupende, Elliot Tembo, I. S. Usman, S. G. Ado, A. Menkir & S. Olakojo	High yield, and large grain size. (12t/ha)	Nigeria Southern Guinea Savanna and Northern Guinea Savanna	2014	2014
Maize	259	30Y87	30Y87	NGZM-14-109	Pioneer Overseas Corporation, USA	Pioneer Overseas Corporation, USA	Pioneer Overseas Corporation, USA, IAR, Zaria; IAR&T, Ibadan; NAERLS, Zaria; NACGRAB, Ibadan; NRMC, Ibadan; ADP, Ogun State; ADP, Oyo State; ADP, Osun State; ADP, Ekiti State; ADP, FCT; ADP, Kaduna State; ADP, Zamfara; ADP, Katsina; ADP, Kano; ADP, Nasarawa; Novum Agro Industries, Panda, Nasarawa State.	High yield, excellent stay-green characteristics, uniform ear placement, good standability. (12mt/ha)	Forest, Forest transition, Southern Guinea, and Northern Guinea Savanna	2014	2014
Maize	260	30F32	30F32	NGZM-14-110	Pioneer Overseas Corporation, USA	Pioneer Overseas Corporation, USA	Pioneer Overseas Corporation, USA, IAR, Zaria; IAR&T, Ibadan; NAERLS, Zaria; NACGRAB, Ibadan; NRMC, Ibadan; ADP, Ogun State; ADP, Oyo State; ADP, Osun State; ADP, Ekiti State; ADP, FCT; ADP, Kaduna State; ADP, Zamfara; ADP, Katsina; ADP, Kano; ADP, Nasarawa; Novum Agro Industries, Panda, Nasarawa State.	High yield, resistant to root and stalk lodging. (9mt/ha)	Southern and Northern Guinea Savanna	2014	2014

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	261	P48W01	IR Maize Hybrid 2	NGZM-14-111	IITA, Ibadan	IITA, Ibadan	A. Menkir, O. Ibikunle, I. Usman, P. Muchena, A. Kamara & M. Oluoch	Combined host plant resistance to <i>Striga</i> and tolerance to Metsulfuron methyl (MSM) for <i>Striga</i> control. (5t/ha)	Southern and Northern Guinea Savanna	2014	2014
Maize	262	P48W03	IR Maize Hybrid 4	NGZM-14-112	IITA, Ibadan	IITA, Ibadan	A. Menkir, O. Ibikunle, I. Usman, P. Muchena, A. Kamara & M. Oluoch	Prolific, combines host plant resistance to <i>striga</i> and tolerance to Metsulfuron methyl (MSM) for <i>striga</i> control. (4.5mt/ha)	Northern Guinea Savanna and Sudan Savanna	2014	2014
Maize	263	SAMMAZ 41	EYH-29	NGZM-14-113	IITA, Ibadan	IITA, Ibadan/IAR, Samaru, Zaria	B. Badu-Apraku, M.Oyekunle, S.G. Ado, g. Olaoye, M.A.B. Fakorede, I.S. Usman, A. Kamara, H. Mani, R.A. Omolehin, J.E. Onyibe & J.O. Owolabi	Early maturing, high grain yield, highly stable and low soil nitrogen tolerant. (7.8t/ha)	Northern Guinea and Sudan Savanna	2014	2014
Maize	264	SAMMAZ 42	EYH-27	NGZM-14-114	IITA, Ibadan	IITA, Ibadan/IAR, Samaru, Zaria	B. Badu-Apraku, M.Oyekunle, S.G. Ado, g. Olaoye, M.A.B. Fakorede, I.S. Usman, A. Kamara, H. Mani, R.A. Omolehin, J.E. Onyibe & J.O. Owolabi	Early maturing, high grain yield and low soil nitrogen tolerant. (7.8t/ha)	Northern Guinea and Sudan Savanna	2014	2014
Maize	265	SAMMAZ 43	LY1001-21	NGZM-15-115	IITA, Ibadan	IITA, Ibadan/IAR, Samaru, Zaria	A. Menkir, M. Oyekunle, S.G. Ado, I.S. Usman, H. Mani, A.D. Halilu, H. Abubakar and M.B. Hassan.	Intermediate levels of pro vitamin A content (8.4ug/g) and high grain yield. (9.9t/ha)	Northern and Southern Guinea Savanna ecologies	2015	2015
Maize	266	SAMMAZ 44	LY1001-14	NGZM-15-116	IITA, Ibadan	IITA, Ibadan/IAR, Samaru, Zaria	A. Menkir, M. Oyekunle, S.G. Ado, I.S. Usman, H. Mani, A.D. Halilu and H. Abubakar	Intermediate levels of pro vitamin A content (8.8ug/g) and high grain yield. (9.7t/ha)	Northern and Southern Guinea Savanna ecologies	2015	2015
Maize	267	SAMMAZ 45	AFLATOXIN R SYN-Y2	NGZM-15-117	IITA, Ibadan	IITA, Ibadan/IAR, Samaru, Zaria	A. Menkir, M. Oyekunle, Ranajit Bandyopadhyay, Robert. L. Brown, S.G. Ado, I.S. Usman, H. Mani, A.D. Halilu, H. Abubakar and J. O. Owolabi.	Resistant to aflatoxin and high grain yield. (6.2t/ha)	Northern and Southern Guinea Savanna ecologies	2015	2015

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	268	Ife Maize hyb-08	SW5-OB X IART-INBRED1	NGZM-15-118	IAR&T Ibadan	IAR&T Ibadan	S.A. Olakojo, Kolawole Godonu, S.E. Aladele, F.A. Oluwasanmi, C.A. Awe, Bayo Agboola and U.S. Abdulahi.	High yielding. (8.6t/ha)	Forest and Derived Savanna agro-ecologies	2015	2015
Maize	269	Ife Maize hyb-09	ILE 1-OB X IART-INBRED1	NGZM-15-119	IAR&T Ibadan	IAR&T Ibadan	S.A. Olakojo, Kolawole Godonu, S.E. Aladele, F.A. Oluwasanmi, C.A. Awe, Bayo Agboola and U.S. Abdulahi.	High grain yield, prolific maize cobs. (12.91t/ha)	Forest and Derived Savanna agro-ecologies	2015	2015
Maize	270	SC651	M1026-10	NGZM-15-120	IITA, Ibadan	IITA, Ibadan	Abebe Menkir, Elliot Tembo, M. Oyekunle, I.S. Usman, G. Olaoye, S. Olakojo and S. G. Ado.	Tolerant to drought and Striga hermonthica, high yield potential and good husk cover. (9.7t/ha)	Guinea Savannah	2015	2015
Maize	271	DK234	DK234	NGZM-16-121	Monsanto International SARL	Monsanto International SARL	Isidro Alvarez, M. Oyekunle, S.A. Olakojo, I.S. Usman and H. Mani	High grain yield, good stay-green characteristic and standability, and tolerant to Striga hermonthica. (13.2t/ha)	Southern and Northern Guinea Savanna ecologies	2016	2016
Maize	272	DK777	DK777	NGZM-16-122	Monsanto International SARL	Monsanto International SARL	Isidro Alvarez, M. Oyekunle, S.A. Olakojo, I.S. Usman and H. Mani	Stable and high grain yield, good stay-green characteristic and tolerance to Striga hermonthica. (10.9t/ha)	Forest, Southern and Northern Guinea Savanna ecologies	2016	2016
Maize	273	DK818	BIG 717	NGZM-16-123	Monsanto International SARL	Monsanto International SARL	Padmakar Reddy, M. Oyekunle, S.A. Olakojo, I.S. Usman and H. Mani	Stable and high grain yield, and tolerance to Striga hermonthica. (10t/ha)	Southern and Northern Guinea Savanna ecologies	2016	2016
Maize	274	DK920	PRABAL	NGZM-16-124	Monsanto International SARL	Monsanto International SARL	Padmakar Reddy, M. Oyekunle, S.A. Olakojo, I.S. Usman and H. Mani	High grain yield, prolific, tolerance to Striga hermonthica. (10.7t/ha)	Southern and Northern Guinea Savanna ecologies	2016	2016
Maize	275	Oba Super 11	M0926-7	NGZM-16-125	IITA, Ibadan	IITA, Ibadan and Premier Seed Nig. Ltd.	Abebe Menkir, Afolabi Samson, M. Oyekunle, A. O. Ogungbile, I.S. Usman and H. Mani	Striga and drought tolerance and high yield. (9.6t/ha)	Southern and Northern Guinea Savanna ecologies	2016	2016
Maize	276	Oba Super 13	M0926-8	NGZM-16-126	IITA, Ibadan	IITA, Ibadan and Premier Seed Nig. Ltd.	Abebe Menkir, Afolabi Samson, M. Oyekunle, A. O. Ogungbile, I.S. Usman and H. Mani	Striga and drought tolerance and high yield. (9.7t/ha)	Southern and Northern Guinea Savanna ecologies	2016	2016

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	277	SAMMAZ 46	EWB-29	NGZM-16-127	IITA, Ibadan	IITA, Ibadan and IAR, Samaru	B. Badu-Apraku, M.Oyekunle, S.G. Ado, G. Olaoye, M.A.B. Fakorede, I.S. Usman, A. Kamara, H. Mani, J.O. Owolabi, L.B. Hassan, H.O. Ahmed and J. O. Omeke	Early maturity, high grain yield, tolerance to drought, Striga hermonthica and low soil nitrogen. (9.6t/ha)	Northern Guinea and Sudan Savanna ecologies	2016	2016
Maize	278	SAMMAZ 47	EWB-34	NGZM-16-128	IITA, Ibadan	IITA, Ibadan and IAR, Samaru	B. Badu-Apraku, M.Oyekunle, S.G. Ado, G. Olaoye, M.A.B. Fakorede, I.S. Usman, A. Kamara, H. Mani, J.O. Owolabi, L.B. Hassan, H.O. Ahmed and J. O. Omeke	Early maturity, high grain yield, tolerance to drought, Striga hermonthica and low soil nitrogen. (10.3t/ha)	Northern Guinea and Sudan Savanna ecologies	2016	2016
Maize	279	SAMMAZ 48	2011 TZE-W DT STR Synthetic	NGZM-16-129	IITA, Ibadan	IITA, Ibadan and IAR, Samaru	B. Badu-Apraku, M.Oyekunle, S.G. Ado, G. Olaoye, M.A.B. Fakorede, I.S. Usman, A. Kamara, H. Mani, J.O. Owolabi, L.B. Hassan, H.O. Ahmed and J. O. Omeke	Early maturity, stable and high grain yield, tolerance to drought and Striga hermonthica. (7.8t/ha)	Northern Guinea and Sudan Savanna ecologies	2016	2016
Maize	280	SAMMAZ 49	LY1001-10	NGZM-16-130	IITA, Ibadan	IITA, Ibadan and IAR, Samaru	A. Menkir, M. Oyekunle, S.G. Ado, I.S. Usman, H. Mani, A.D. Halilu, H. Abubakar, U.S. Abdullahi and M.B. Hassan	Intermediate levels of pro-vitamin A content (11.3µg/g) (7.8t/ha)	Northern Guinea and Sudan Savanna ecologies	2016	2016
Maize	281	SAMMAZ 50	M1026-8	NGZM-16-131	IITA, Ibadan	IITA, Ibadan and IAR, Samaru	A. Menkir, M. Oyekunle, S.G. Ado, I.S. Usman, H. Mani, A.D. Halilu, H. Abubakar, U.S. Abdullahi and M.B. Hassan	Tolerance to drought and <i>Striga hermonthica</i> (9.3t/ha)	Southern and Northern Guinea Savanna	2016	2016
Maize	282	SAMMAZ 51	IWD C3 SYN/White DT STR Syn	NGZM-16-132	IITA, Ibadan	IITA, Ibadan and IAR, Samaru	A. Menkir, M. Oyekunle, S.G. Ado, I.S. Usman, H. Mani, A.D. Halilu, H. Abubakar, U.S. Abdullahi and M.B. Hassan	High grain yield, tolerance to drought and <i>Striga hermonthica</i> (8.5t/ha)	Southern and Northern Guinea Savanna	2016	2016

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Maize	283	SAMMAZ 52	PVA SYN 13	NGZM-17-133	IITA, Ibadan	IITA, Ibadan and IAR, Samaru	A. Menkir, M. Oyekunle, S.G. Ado, I.S. Usman, H. Mani, A.D. Halilu, H. Abubakar	Intermediate levels of provitamin A content (9.8µg/g). (6.0t/ha)	Northern Guinea and Sudan Savanna Ecologies	2017	2017
Maize	284	SAMMAZ 53	TZEE-W STR 105 BC2	NGZM-17-134	IITA, Ibadan	IITA, Ibadan and IAR, Samaru	B. Badu-Apraku, M. Oyekunle, S. G. Ado, G. Olaoye, I. S. Usman, H. Mani, A. Talabi, M.A. Aderounmu, U. S. Abdullahi, R.O. Abdulmalik, H.O. Ahmed, L.B. Hassan, M.B. Hassan & M.A. Yahaya	Extra-early maturity, high grain yield, tolerance to drought and <i>Striga hermonthica</i> . (7.6t/ha)	Northern Guinea and Sudan Savanna Ecologies	2017	2017
Maize	285	SAMMAZ 54	TZEE-W Pop DT STR	NGZM-17-135	IITA, Ibadan	IITA, Ibadan and IAR, Samaru	B. Badu-Apraku, M. Oyekunle, S. G. Ado, G. Olaoye, I. S. Usman, H. Mani, A. Talabi, M.A. Aderounmu, U. S. Abdullahi, R.O. Abdulmalik, H.O. Ahmed, L.B. Hassan, M.B. Hassan & M.A. Yahaya	Extra-early maturity, high grain yield, tolerance to drought and <i>Striga hermonthica</i> . (7.2t/ha)	Northern Guinea and Sudan Savanna Ecologies	2017	2017
Maize	286	SC612	M1124-31	NGZM-17-136*	IITA, Ibadan	IITA, Ibadan and Seed Co	Abebe Menkir, Elliot Tembo, M. Oyekunle, I.S. Usman, G. Olaoye, S. Olakojo and S. G. Ado.	Tolerant to drought, high yield, and good husk cover. (9.0t/ha)	Guinea Savannah	2017	2017
Maize	287	SC649	11C86	NGZM-17-137*	Seed Co Ltd., Harare, Zimbabwe	Seed Co, Kaduna, Nigeria	Elliot Tembo, M. Oyekunle, A. Menkir, A. Tahirou, I.S. Usman, G. Olaoye, S. Olakojo, S.G. Ado and M. Adebayo	High yield, good husk cover, easy to produce. (8.1t/ha)	Guinea Savannah	2017	2017
Maize	288	DK390	DK390	NGZM-17-138*	Monsanto International SARL	Monsanto Int. and IAR, Samaru	Isidro Alvarez, M. Oyekunle, I.S. Usman and H. Mani	High grain yield and good standability. (9.4t/ha)	Southern and Northern Guinea Savanna ecologies	2017	2017
Maize	289	DK7508	DK7508	NGZM-17-139*	Monsanto International SARL	Monsanto Int. and IAR, Samaru	Isidro Alvarez, M. Oyekunle, I.S. Usman and H. Mani	High grain yield. (9.8t/ha)	Southern and Northern Guinea Savanna ecologies	2017	2017



Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Pearl Millet	290	SAMIL-1	EX-Borno	NGPG-91-1	Gashua Borno-State	I.A.R-Samaru Zaria	R.W.Gibbons, D.A. Guymmer	Highly yielding. (2-3t/ha)	All Savanna Zones	1966	1991
Pearl Millet	291	SAMIL-2	Nigerian Composite	NGPG-91-2	I.A.R. Samaru Zaria	I.A.R-Samaru Zaria		Tolerates high degree of moisture stress, wide adaptability. (2-2.5t/ha)	All Savanna Zones	1977	1991
Pearl Millet	292	SAMIL-3	Dwarf Composite	NGPG-91-3	I.A.R. Samaru Kano station	I.A.R-Samaru Zaria	C.C.Nwasike, R.B. Thakare and S.O. Okiro	Consideration suitable for mechanization because of short stature and early maturing	Sudan and Sahel Savanna Zones	1983	1991
Pearl Millet	293	SAMIL-4	Maiwa Composite	NGP-91-4	I.A.R. Samaru Kano station	I.A.R-Samaru Zaria	C.C.Nwasike, R.B. Thakare and S.O. Okiro	Strong stem used for fencing where it is grown. (1-2t/ha)	Southern Guinea Savanna, Northern Guinea Savanna and Sudan Savanna Zones	1983	1991
Pearl Millet	294	SAMIL-5	Bristle Composite	NGP-91-5	I.A.R. Samaru Kano station	I.A.R-Samaru Zaria	C.C.Nwasike, R.B. Thakare and S.O. Okiro	Advantage over non-bristled type in reducing bird damage. (2.5-3t/ha)	All Savanna Zones	1983	1991
Pearl Millet	295	SAMIL-6	S.E.13	NGPG-91-6	I.A.R. Samaru Zaria	I.A.R-Samaru Zaria	C.C.Nwasike, R.B. Thakare and S.O. Okiro	Early maturing adapted to all savanna zones, good yield potential. (2.5-3t/ha)	All Savanna Zones	1985	1991
Pearl Millet	296	SAMIL-7	S.E.2124	NGPG-91-7	I.A.R. Samaru Zaria	I.A.R-Samaru Zaria	C.C.Nwasike, R.B. Thakare and S.O. Okiro	Early maturing, good seed quality, high yield. (2.5-3t/ha)	All Savanna Zones	1985	1991
Pearl Millet	297	LCIC-MV-1	SOSAT-C88	NGPG-00-8	IER MALI/ICRISAT-NIAMEY	LCRI Maiduguri and ICRISAT Kano	Y.Yakubu, I. Angarawai, S.C. Gupta & S.E. Aladele	Food taste is preferred by 99% of users. Thick stem, high grain yield and earliness. (2.5-3t/ha)		2000	2000
Pearl Millet	298	LCIC MV-2		NGPG-03-9		LCRI Maiduguri	I.I. Angarawai, Y. Yaubu	Extra- early maturing preferred for food quality. (1.5-2t/ha)		2003	2003
Pearl Millet	299	LCICMH-1	LCICMH99-10	NGPG-05-10	LCRI-ICRISAT	LCRI, Maiduguri	I.I. Angarawai, S.C. Gupta & S.E. Aladele	High yield, food quality preferred by 99% of users and medium maturing. (4.0-4.5t/ha)		2005	2005
Pearl Millet	300	LCICMV-3 (Supersosat)	PEO5532	NGPG-11-11	MALI/ICRISAT-Niamey, Niger Rep.	ICRISAT-Niamey & LCRI, Maiduguri	Bettina Haussmann, Angarawai I.I. & Y. Yakubu	High yielding, resistant to downy mildew disease Stout stalk for fencing. (5.0t/ha)		2011	2011

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Pearl Millet	301	LCICMV-4	PEO5984	NGPG-13-12	Introduction from Burkina Faso	LCRI, Maiduguri & ICRISAT-Niamey	Angarawai I.I., C.T. Hash, K.W. Gwadi, B.G. Haussmann, O.G. Olabanji, Fatima Abubakar & M.H. Badau	Extra-early maturity; stay-green quality. (2.5-3t/ha)	Sahel and Sudan Savanna Zones	2013	2013
Rice	302	FARO-1	BG-79	NGOS-91-1	British Guiana	FDAR (NCRI), Ibadan		Medium grain type. (3.0-5.0t/ha)	Southern and Northern Guinea Savanna	1954	1991
Rice	303	FARO-2	D-114	NGOS-91-2	British Guiana	FDAR (NCRI), Ibadan		Medium grain type. (3-4.5t/ha)	Northern Guinea Savanna	1955	1991
Rice	304	FARO-3	Agbede 16/56	NGOS-91-3	Nigeria	FDAR (NCRI), Ibadan		Medium grain type. (1.5-2.5t/ha)	Forest Transition/Derived Savanna, Southern and Northern Guinea Savanna	1958	1991
Rice	305	FARO-4	KAV-12	NGOS-91-4	Madras, India	FDAR (NCRI), Ibadan		Medium grain type. (2-4t/ha)	Humid Forest	1959	1991
Rice	306	FARO-5	Makalioka 823	NGOS-91-5	Madagascar	FDAR (NCRI), Ibadan		Medium grain type. (2-4.5t/ha)	Forest Transition/Derived Savanna, Northern Guinea Savanna	1960	1991
Rice	307	FARO-6	I.C.B.	NGOS-91-6	Thailand Via Bamako	FDAR (NCRI), Ibadan		Medium grain type. (2-3t/ha)	Humid Forest	1961	1991
Rice	308	FARO-7	Malling	NGOS-91-7	Thailand	FDAR (NCRI), Ibadan		Medium grain type. (2.5-3.5t/ha)	Humid Forest	1962	1991
Rice	309	FARO-8	MAS-2401	NGOS-91-8	Indonesia	FDAR (NCRI), Ibadan		Long grain type. (3.5-4.5t/ha)	Forest Transition/Derived Savanna	1963	1991
Rice	310	FARO-9	SIAM-29	NGOS-91-9	Malaya	FDAR (NCRI), Ibadan		Long grain type. (2.5-3t/ha)	Forest Transition/Derived Savanna	1963	1991
Rice	311	FARO-10	SINDANO	NGOS-91-10	Kenya	FDAR (NCRI), Ibadan		Long grain type. (2.5-3.5t/ha)	Forest Transition/Derived Savanna	1963	1991
Rice	312	FARO-11	OS-6	NGOS-91-11	Belgian Congo	FDAR (NCRI), Ibadan		Medium grain type. (1.5-2.5t/ha)	Forest Transition/Derived Savanna	1966	1991
Rice	313	FARO-12	SML-140/10	NGOS-91-12	Suriname	FDAR (NCRI), Ibadan		Long grain type. (2-3.5t/ha)	Forest Transition/Derived Savanna	1969	1991

<b>Crop_Name</b>	<b>S/N</b>	<b>Variety Name</b>	<b>Original Name</b>	<b>National Code</b>	<b>Origin/Source</b>	<b>Developing Institute</b>	<b>Breeder/ Collaborating Scientists</b>	<b>Outstanding Characteristics/ Potential Yields</b>	<b>Agro-Ecological Zones</b>	<b>Year of Release</b>	<b>Year of Registry</b>
Rice	314	FARO-13	IR 8	NGOS-91-13	Phillippines	FDAR (NCRI), Ibadan		Medium grain type. (2.4-4.5t/ha)	Forest Transition/Derived Savanna	1970	1991
Rice	315	FARO-14	FRRS-43/3	NGOS-9114	Nigeria (NCRI)	FDAR (NCRI), Ibadan		Medium grain type	Forest Transition/Derived Savanna	1971	1991
Rice	316	FARO-15	FRRS-162-B- 111-1	NGOS-91-15	Nigeria (NCRI)	FDAR (NCRI), Ibadan		Medium grain type. (3-4t/ha)	Forest Transition/Derived Savanna	1974	1991
Rice	317	FARO-16	FRRS-168B-111-3	NGOS-91-16	Nigeria (NCRI)	FDAR (NCRI), Ibadan		Medium grain type. (2-4t/ha)	Forest Transition/Derived Savanna	1974	1991
Rice	318	FARO-17	FRRS-148B-11-3	NGOS-91-17	Nigeria (NCRI)	FDAR (NCRI), Ibadan		Medium grain type. (2.5-4t/ha)	Forest Transition/Derived Savanna	1974	1991
Rice	319	FARO-18	TJINA	NGOS-91-18	Indonesia	FDAR (NCRI), Ibadan		Medium grain type. (3.5-4.5t/ha)	Forest Transition/Derived Savanna	1974	1991
Rice	320	FARO-19	IR 20	NGOS-91-19	Phillippines	FDAR (NCRI), Ibadan		Medium grain type. (2.5-3.5t/ha)	Forest Transition/Derived Savanna	1974	1991
Rice	321	FARO-20	BP176 (BICOL)	NGOS-91-20	Phillippines	FDAR (NCRI), Ibadan		Medium grain type. (2.5-3.5t/ha)	Forest Transition/Derived Savanna	1974	1991
Rice	322	FARO-21	TAICHUNG NATIVE 1	NGOS-91-21	Phillippines	FDAR (NCRI), Ibadan		Short grain type. (2-3t/ha)	Forest Transition/Derived Savanna	1974	1991
Rice	323	FARO-22	IR-627-1-3-1-4-3-7	NGOS-91-22	Phillippines	FDAR (NCRI), Ibadan		Medium grain type. (2.5-4t/ha)	Forest Transition/Derived Savanna	1974	1991
Rice	324	FARO-23	IR-5-47-2	NGOS-91-23	Phillippines	FDAR (NCRI), Ibadan		Medium grain type. (2.5-4t/ha)	Forest Transition/Derived Savanna	1974	1991
Rice	325	FARO-24	DEGAULL	NGOS-91-24	Vietnam	FDAR (NCRI), Ibadan		Long grain type. (3-4t/ha)	Forest Transition/Derived Savanna	1974	1991
Rice	326	FARO-25	FAROX-55/30	NGOS-91-25	Nigeria (NCRI)	FDAR (NCRI)		Medium grain type. (2-3t/ha)	Northern and Southern Guinea Savanna, Sudan Savanna, Sahel Savanna	1976	1991
Rice	327	FARO-26	TOS-78	NGOS-91-26	Nigeria (NCRI)	FDAR (NCRI)		Medium grain type. (2-3t/ha)	Forest Transition/Derived Savanna, Humid Forest	1982	1991

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Rice	328	FARO-27	TOS-103	NGOS-91-27	Nigeria (NCRI)	FDAR (NCRI)		Medium grain type. (2.5-3.5t/ha)	Forest Transition/Derived Savanna, Humid Forest	1982	1991
Rice	329	FARO-28	FAROX-188A	NGOS-91-28	Nigeria (NCRI)	FDAR (NCRI)		Medium grain type. (2.5-3.5t/ha)	Forest Transition/Derived Savanna, Humid Forest	1982	1991
Rice	330	FARO-29	BG90/2	NGOS-91-29	Nigeria (NCRI)	FDAR (NCRI)		Medium grain type. (3-4t/ha)	Forest Transition/Derived Savanna, Humid Forest	1984	1991
Rice	331	FARO-30	FAROX-228-2-1-1	NGOS-91-30	Nigeria (NCRI)	FDAR (NCRI)		Medium grain type. (5-8t/ha)	Forest Transition/Derived Savanna, Humid Forest	1986	1991
Rice	332	FARO-31	FAROX-228-3-1-1	NGOS-91-31	Nigeria (NCRI)	NCRI, Bida		Medium grain type. (5-8t/ha)	Forest Transition/Derived Savanna, Humid Forest	1986	1991
Rice	333	FARO-32	FAROX 228-4-1-1	NGOS-91-32	Nigeria (NCRI)	NCRI, Bida		Medium grain type. (4-7t/ha)	Forest Transition/Derived Savanna, Humid Forest	1986	1991
Rice	334	FARO-33	FAROX-233-1-1-1-	NGOS-91-33	Nigeria (NCRI)	NCRI, Bida		Long grain type. (4-7t/ha)	Forest Transition/Derived Savanna, Humid Forest	1986	1991
Rice	335	FARO-34	FAROX-239-2-1-1	NGOS-91-34	Nigeria (NCRI)	NCRI, Bida		Long grain type. (4-7.5t/ha)	Forest Transition/Derived Savanna, Humid Forest	1986	1991
Rice	336	FARO-35	ITA 212	NGOS-91-35	Nigeria (IITA)	NCRI, Bida	T.M. Masajo and O.A. Oladimeji	Medium grain type. (5-8t/ha)	Forest Transition/Derived Savanna, Humid Forest	1986	1991
Rice	337	FARO-36	ITA 222	NGOS-91-36	Nigeria (IITA)	NCRI, Bida	T.M. Masajo and O.A. Oladimeji	Medium grain type. (5-8t/ha)	Forest Transition/Derived Savanna, Humid Forest	1986	1991
Rice	338	FARO-37	ITA 306	NGOS-91-37	Nigeria (IITA)	NCRI, Bida	T.M. Masajo and O.A. Oladimeji	Long grain type. (5-8t/ha)	Forest Transition/Derived Savanna, Humid Forest	1986	1991

<b>Crop_Name</b>	<b>S/N</b>	<b>Variety Name</b>	<b>Original Name</b>	<b>National Code</b>	<b>Origin/Source</b>	<b>Developing Institute</b>	<b>Breeder/ Collaborating Scientists</b>	<b>Outstanding Characteristics/ Potential Yields</b>	<b>Agro-Ecological Zones</b>	<b>Year of Release</b>	<b>Year of Registry</b>
Rice	339	FARO-38	IRAT-133	NGOS-91-38	IAR&T Ibadan	IAR&T Ibadan	J.B. Oyedokun	Short grain type. (1-4t/ha)	Northern and Southern Guinea Savanna, Sudan Savanna, Forest Transition/Derived Savanna	1986	1991
Rice	340	FARO-39	IRAT 144	NGOS-91-39	IAR&T Ibadan	IAR&T Ibadan	J.B. Oyedokun	Short grain type. (1-4t/ha)	Northern and Southern Guinea Savanna, Sudan Savanna, Forest Transition/Derived Savanna	1986	1991
Rice	341	FARO-40	FARCO-299	NGOS-91-40	Nigeria (NCRI)	NCRI, Bida		Medium grain type. (1-4t/ha)	Northern and Southern Guinea Savanna, Sudan Savanna, Forest Transition/Derived Savanna	1986	1991
Rice	342	FARO-41	IRAT-170	NGOS-91-41	Nigeria (NCRI)	NCRI, Bida		Medium grain type. (1-4t/ha)	Northern and Southern Guinea Savanna, Sudan Savanna, Forest Transition/Derived Savanna	1986	1991
Rice	343	FARO-42	ART 12	NGOS-91-42	Nigerian (IAR&T)	Nigeria (IAR&T)	J.B. Oyedokun	Medium grain type. (1-4t/ha)	Northern and Southern Guinea Savanna, Sudan Savanna, Forest Transition/Derived Savanna	1986	1991

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Rice	344	FARO-43	ITA-128	NGOS-91-43	IITA	WARDA & IITA	T.M. Masajo & O.A. Oladimeji	Medium grain type. (1-4t/ha)	Northern and Southern Guinea Savanna, Sudan Savanna, Forest Transition/Derived Savanna	1986	1991
Rice	345	FARO-44	SIPI-692033	NGOS-91-44	Taiwan	WARDA/ IITA/ NCRI	T.M. Masajo, B.N. Singh, O.A. Oladimeji	Long grain, optimum production under low management.	Forest Transition/Derived Savanna, Humid Forest	1990	1991
Rice	346	FARO-45	ITA-257	NGOS-91-45	IITA, Ibadan	IITA, Ibadan	S. Sarkarung O.Oladimeji	Difficult to thresh, does not lodge under optimum irrigation, very early maturing.	Northern and Southern Guinea Savanna, Sudan Savanna	1990	1991
Rice	347	FARO-46	ITA-150	NGOS-91-46	IITA, Ibadan	IITA, Ibadan	T.M. Masajo, A.O Abifarin B.N. Singh & O.A. Oladimeji	High yielding, early maturing, blast resistant and drought tolerant.	Northern and Southern Guinea Savanna, Sudan Savanna	1990	1991
Rice	348	FARO-47	ITA-117	NGOS-91-47	IITA, Ibadan	IITA, Ibadan	Dr. A.O. Abifarin & O.A. Oladimeji	Slender grain, high yielding and responsive to fertilizer	Northern and Southern Guinea Savanna, Sudan Savanna, Forest Transition/Derived Savanna	1990	1991
Rice	349	FARO-48	ITA-301	NGOS-9-48	IITA, Ibadan	IITA, Ibadan	Dr. K. Alluri & O.A. Oladimeji	Good grain type and high yield	Northern and Southern Guinea Savanna, Sudan Savanna, Forest Transition/Derived Savanna	1990	1991

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Rice	350	FARO-49	ITA-315	NGOS-91-49	IITA, Ibadan	IITA, Ibadan	K. Alluri & O.A. Oladimeji	High yielding	Northern and Southern Guinea Savanna, Sudan Savanna, Forest Transition/Derived Savanna	1990	1991
Rice	351	FARO-50	IITA-230	NGOS-91-50	IITA, Ibadan	IITA, Ibadan	T.M. Masajo, B.N. Singh & O.A. Oladimeji	High yielding	Forest Transition/Derived Savanna	1990	1991
Rice	352	FARO-51	CISADANE	NGOS-98-51	Indonesia	NCRI, Badeggi, IITA, Ibadan	M.N. Ukwungwu, A.T. Maji, R.C. Jushi, B.N. Singh & C. Williams	Moderately tolerant to African rice gall	Forest Transition/Derived Savanna	1998	1991
Rice	353	FARO-52	WITA 4	NGOS-01-52	WARDA/IITA Ibadan	WARDA/ IITA Ibadan	T.M. Masajo, B.N. Singh & O.A. Oladimeji	High yielding, tolerant to iron toxicity and drought.	Forest Transition/Derived Savanna	2001	2001
Rice	354	FARO-53	ITA 321	NGOS-03-53	WARDA/IITA Ibadan	NCRI, Badeggi	T.M. Masajo, B.N. Singh & O.A. Oladimeji		Forest Transition/Derived Savanna	2003	2003
Rice	355	FARO-54	WAB 189-B-B-8-HB	NGOS-03-54	WARDA, Bouake	NCRI, Baadeggi	M.P. Jones/NCRI Rice Programme	High yield, early maturing good weed competitiveness and drought tolerant.	Northern and Southern Guinea Savanna, Sudan Savanna	2003	2003
Rice	356	FARO-55	NERICA 1 WAB 450-1-P38-HB	NGOS-03-55	WARDA, Bouake	NCRI, Badeggi	M.P. Jones/NCRI Rice Programme	Early maturity, weed competitiveness, tolerance to disease, high grain yield and good cooking quality, resistance to lodging.	Northern and Southern Guinea Savanna, Sudan Savanna	2003	2003
Rice	357	FARO-56	NERICA 2 WAB 450-11-1-P31-HB	NGOS-03-56	WARDA, Bouake	WARDA, NCRI, Baadeggi	M.P. Jones/NCRI Rice Programme	Early maturity, high yielding, tolerant to drought, weed competitiveness, more grain/panicles.		2005	2005
Rice	358	FARO-57	TOX4004-43-1-2-1	NGOS-05-57	WARDA/IITA	NCRI, Badeggi Ibadan	T.M. Masajo, B.N. Singh & O.A. Oladimeji	High yielding, medium maturing long slender grains, resistant to blast, drought, iron toxicity and rice yellow mottle virus disease.		2005	2005

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Rice	359	FARO 58	NERICA 7 WAB450-1-B-P-20- HB	NGOS-11-58	Africa Rice	Africa Rice Centre and NCRI	Monty P. Jones, Mande Semon, Alhassan T. Maji, M.N. Ukwungwu, E.O. Bright, Ajayi O., F.E. Nwilene, R. Venuprasad, M.G. Akinwale, O. Oladimeji, O.E. Oyetunji, B.O. Popoola, C.A. Awe & S.A. Adedeji	Earliness, high grain yield, good cooking quality, tolerance to lodging. (5t/ha)	Northern and Southern Guinea Savanna, Sudan Savanna	2011	2011
Rice	360	FARO 59	NERICA 8 WAB450-1-BL1- 136-HB	NGOS-11-59	Africa Rice	Africa Rice Centre and NCRI	Monty P. Jones, Mande Semon, Alhassan T. Maji, M.N. Ukwungwu, E.O. Bright, Ajayi O., F.E. Nwilene, R. Venuprasad, M.G. Akinwale, O. Oladimeji, O.E. Oyetunji, B.O. Popoola, C.A. Awe & S.A. Adedeji	Earliness, golden grain colour, weed competitiveness and tolerance to lodging. (5t/ha)	Northern and Southern Guinea Savanna, Sudan Savanna	2011	2011
Rice	361	FARO 60	NERICA L-19 WAS 122-IDS-1- WAS-6-1	NGOS-11-60	Africa Rice	Africa Rice Centre and NCRI	Moussa Sie, Alhassan T. Maji, M.N. Ukwungwu, M.E. Abo, Ajayi O., F.E. Nwilene, R. Venuprasad, M.G. Akinwale, O. Oladimeji, O.E. Oyetunji, B.O. Popoola, C.A. Awe & S.A. Adedeji	High yielding, long and slender grains and tolerant to iron toxicity. (8t/ha)	Forest Transition/Derived Savanna	2011	2011
Rice	362	FARO 61	NERICA L-34 WAS 161-B-6-3- FKR-1	NGOS-11-61	Africa Rice	Africa Rice Centre and NCRI	Moussa Sie, Alhassan T. Maji, M.N. Ukwungwu, M.E. Abo, Ajayi O., F.E. Nwilene, R. Venuprasad, M.G. Akinwale, O. Oladimeji, O.E. Oyetunji, B.O. Popoola, C.A. Awe & S.A. Adedeji	Earliness, high yielding, tolerant to anaerobic germination (ability to germinate under water). (7t/ha)	Forest Transition/Derived Savanna	2011	2011



Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Rice	363	FARO 62	NCRO 49 FAROX 501-B-10-2-1-2	NGOS-11-62	NCRI, Badeggi	NCRI, Badeggi	Alhassan T. Maji, Andrew Gana, M.N. Ukwungwu, M.E. Abo, C.A. Awe & S.A. Adedeji	High yielding and tolerant to drought. (4t/ha)	Forest Transition/Derived Savanna	2011	2011
Rice	364	FUNAABOR-1	UORG 311	NGOS-11-63	Selection from Farmer's field	FUNAAB (IFSERAR) & NCRI, Badeggi	Showemimo, F.A., Gregorio, G., Maji, A.T., Olowe, V.I.O., Ukwungwu, M.N., Adigbo, S.O., Olaoye, O.J., Akintokun, P.O., Bodunde, J.G., C.A. Awe & Idowu, O.T.H.	Good yield, gold coloured grains with red strips, very high swelling capacity and good nutrient acceptable, excellent stay green attribute, high ratooning ability. (2.7t/ha)	Forest Transition/Derived Savanna	2011	2011
Rice	365	FUNAABOR-2	UORW 111	NGOS-11-64	Selection from Farmer's field	FUNAAB (IFSERAR) & NCRI, Badeggi	Showemimo, F.A., Gregorio, G., Maji, A.T., Olowe, V.I.O., Ukwungwu, M.N., Adigbo, S.O., Olaoye, O.J., Akintokun, P.O., Bodunde, J.G., C.A. Awe & Idowu, O.T.H.	Good nutrient, yield, pure white, smooth, long, sweet grains, acceptable. (2.5t/ha)	Forest Transition/Derived Savanna	2011	2011
Rice	366	UPIA 1	IWA 1	NGOS-13-65	International Rice Research Institute (IRRI)	University of Port Harcourt, IRRI, AGRA	Andrew A. Efişue, Glenn Gregorio, Olugbenga Akinwale, A.T. Maji, Francis Nwilene & C.A. Awe	Early maturity, high yield, long slender grains, tolerant to iron toxicity and African rice gall midge. (6.6t/ha)	Forest Transition/Derived Savanna	2013	2013
Rice	367	UPIA 2	IWA 2	NGOS-13-66	International Rice Research Institute (IRRI)	University of Port Harcourt, IRRI, AGRA	Andrew A. Efişue, Glenn Gregorio, Olugbenga Akinwale, A.T. Maji, Francis Nwilene & C.A. Awe	High yield, long slender grains, tolerant to iron toxicity and African rice gall midge. (8.0t/ha)	Forest Transition/Derived Savanna	2013	2013
Rice	368	UPIA 3	IWA 3	NGOS-13-67	International Rice Research Institute (IRRI)	University of Port Harcourt, IRRI, AGRA	Andrew A. Efişue, Glenn Gregorio, Olugbenga Akinwale, A.T. Maji, Francis Nwilene & C.A. Awe	Early maturity, high yield, long slender grains and tolerant to iron toxicity. (7.0t/ha)	Forest Transition/Derived Savanna	2013	2013
Rice	369	FARO 63	ART3-7L9P8-3-B-B-2-1	NGOS-14-68	Africa Rice	Africa Rice Centre and NCRI	M. Semon, A.T. Maji, B.O. Popoola, K.K. Orou, A.E. Stanley, C.A. Awe, O. Salami & Bashir Muhammad.	Early maturity and high yielding. (6.2t/ha)	Rainfed upland	2014	2014

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Rice	370	FARO 64	ART15-7-16-38-1-B-B-2	NGOS-15-69	Africa Rice	Africa Rice Centre and NCRI	Semon M., Maji A. T., Popoola B. O., Orou K. K., Stanley A. E., Nwilene F.E., Togola A., Claudius - Cole A.O., Awe, C.A., Salami O., Muhammad B., Oyetunji O.E., and Salam A.	Early maturing, high yielding and drought tolerance. (5.2t/ha)	Rainfed upland	2015	2015
Rice	371	FARO 65	ART16-5-9-22-3-B-B-2	NGOS-15-70	Africa Rice	Africa Rice Centre and NCRI	Semon M., Maji A. T., Popoola B. O., Orou K. K., Stanley A. E., Nwilene F.E., Togola A., Claudius - Cole A.O., Awe, C.A., Salami O., Muhammad B., Oyetunji O.E., and Salam A.	Early maturing, high yielding and drought tolerance. (6.4t/ha)	Rainfed upland	2015	2015
Rice	372	FARO 66	ART351:12-2-B-5-B	NGOS-17-71	Africa Rice	Africa Rice Centre and NCRI, Badeggi	Venuprasad R, Shittu A, Jolayemi L, Sow M, Maji A.T, Bashiru M, Nwilene F.E and Salami O.	Submergence tolerant, high yielding, long and medium slender grains and moderately tolerant to iron toxicity. (6.7t/ha)	Lowland	2017	2017
Rice	373	FARO 67	ART350:10-2-1-B	NGOS-17-72	Africa Rice	Africa Rice Centre and NCRI, Badeggi	Venuprasad R, Shittu A, Jolayemi L, Sow M, Maji A.T, Bashiru M, Nwilene F.E and Salami O.	Submergence tolerant, high yielding, long and slender grains and moderately tolerant to iron toxicity. (6.7t/ha)	Lowland	2017	2017
Rice	374	GAWAL R1	CHAOTAN	NGOS-17-73	Green Agriculture West Africa Limited	Green Agriculture West Africa Limited	Zeng Mengtian, Li Tailong, Xu Guoxin, Wang Xuemin, Xu Yuanfang, Zhao Dule, Maji A.T and Bashir M.	High yielding, and tolerance to blast disease. (10.4t/ha)	Lowland rainfed and irrigated ecologies	2017	2017
Rubber	375	NIG-800	RRIN-C76	NGHB-00-1	Nigeria	RRIN Benin City	Omokhafa, K, Aghughu, O., Olapade, E.O., Alika, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones.	Rainforest Savanna	1980	2000

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Rubber	376	NIG-801	RRIN-C.83	NGHB-00-2	Nigeria	RRIN Benin City	Omokhafa, K, Aghughu, O., Olapade, E.O., Aliko, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones.	Rainforest Savanna	1980	2000
Rubber	377	NIG-806	RRIN-C-163	NGHB-00-3	Nigeria	RRIN Benin City	Omokhafa, K, Aghughu, O., Olapade, E.O., Aliko, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones.	Rainforest Savanna	1980	2000
Rubber	378	NIG-807	RRINC-145	NGHB-00-4	Nigeria	RRIN Benin City	Omokhafa, K, Aghughu, O., Olapade, E.O., Aliko, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones.	Rainforest Savanna	1980	2000
Rubber	379	NIG-808	RRINC-143	NGHB-00-5	Nigeria	RRIN Benin City	Omokhafa, K, Aghughu, O., Olapade, E.O., Aliko, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones.	Rainforest Savanna	1980	2000
Rubber	380	NIG-809	RRINC-150	NGHB-00-6	Nigeria	RRIN Benin City	Omokhafa, K, Aghughu, O., Olapade, E.O., Aliko, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones.	Rainforest Savanna	1980	2000
Rubber	381	NIG-810	RRINC-159	NGHB-00-7	Nigeria	RRIN Benin City	Omokhafa, K, Aghughu, O., Olapade, E.O., Aliko, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones.	Rainforest Savanna	1980	2000

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Rubber	382	NIG-811	RRINC-154	NGHB-00-8	Nigeria	RRIN Benin City	Omokhafe, K, Aghughu, O., Olapade, E.O., Alika, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones.	Rainforest Savanna	1980	2000
Rubber	383	NIG-812	RRINC-162	NGHB-00-9	Nigeria	RRIN Benin City	Omokhafe, K, Aghughu, O., Olapade, E.O., Alika, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones.	Rainforest Savanna	1980	2000
Rubber	384	NIG-813	RRINC-202	NGHB-00-10	Nigeria	RRIN Benin City	Omokhafe, K, Aghughu, O., Olapade, E.O., Alika, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones.	Rainforest Savanna	1980	2000
Rubber	385	NIG-802	RRINC-114	NGHB-08-11	Nigeria	RRIN Benin City	Olapade, E.O., Alika, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones. (1.7-2t/ha)	Rainforest Savanna	1980	2008
Rubber	386	NIG-803	RRINC-48	NGHB-08-12	Nigeria	RRIN Benin City	Olapade, E.O., Alika, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones.	Rainforest Savanna	2004	2008

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Rubber	387	NIG-804	RRINC-1	NGHB-08-13	Nigeria	RRIN Benin City	Olapade, E.O., Alika, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones. (2.2-3.2t/ha)	Rainforest Savanna	1980	2008
Rubber	388	NIG-805	RRINC-15	NGHB-08-14	Nigeria	RRIN Benin City	Olapade, E.O., Alika, J.E., Mekako, H.U., Onokpise, O. and Tappan, W.G.	High late yield of 2300-2800 kg/ha/year compared to yield of 300-400kg/ha/ year obtainable in local cultivar and upper limit of 1600kg/ha/year in exotic clones. (1.4-1.9t/ha)	Rainforest Savanna	1980	2008
Sesame	389	NCRIBEN-03L	GOZA-25	NGSI-01-1	SUDAN	NCRI, Badeggi	G.A. IWO	Drought tolerant, good seed quality. (500-550kg/ha)	Savanna Ecology	2001	2001
Sesame	390	NCRIBEN-01M	530 - 6 -1	NGSI-01-2	INDIA	IAR, Samaru, Zaria, NCRI, Badeggi	I.O. Leleji, A.A. Zaria, D.K. Adedzwa, S.O. Olafare & G.A. Iwo	Attractive seed color and medium maturity. (600-750kg/ha)	Savanna Ecology	2001	2001
Sesame	391	NCRIBEN-02M	TYPE-4 (NO.1)	NGSI-01-3	INDIA	IAR, Samaru, Zaria, NCRI, Badeggi	I.O. Leleji, A.A. Zaria, D.K. Adedzwa, S.O. Olafare & G.A. Iwo	Delay shattering and medium maturity. (550-600kg/ha)	Savanna Ecology	2001	2001
Sesame	392	NCRIBEN-04E	Ex-Sudan	NGSI-14-4	Not Known	NCRI, Badeggi	Ismaila Abubakar, Aliyu Usman, Shokalu Olumide & Mumeen A. Yusuf	High grain yield, high oil content and early maturity. (1.3t/ha)	Savanna Ecology	2014	2014
Sesame	393	NCRIBEN-05E	Kenena 4	NGSI-14-5	Not Known	NCRI, Badeggi	Ismaila Abubakar, Aliyu Usman, Shokalu Olumide & Mumeen A. Yusuf	High yield, high oil content and early maturity. (1.2t/ha)	Savanna Ecology	2014	2014
Sorghum	394	SAMSORG-1	KSV-1 (G-52)	NGSB-91-1	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	J. Webstar, S.B. King & G.T. York	Resistant to major leaf disease e.g. leaf blight, sooty stripe, zonate leaf etc. (1.5-2.5t/ha)	Sudan and Sahel Savanna Zones	1970	1991
Sorghum	395	SAMSORG-10	KSV-2(YG5760)	NGSB-91-2	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	J. Webstar, S.B. King & G.T. York	Early maturing. (1.8-3t/ha)	Southern and Sudan Savanna Zones	1970	1991
Sorghum	396	SAMSORG-15	SSV-1(SSF 60)	NGSB-91-3	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	J. Webstar, S.B. King & G.T. York	High yielding. (1.8-3t/ha)	Southern Guinea Savanna	1970	1991
Sorghum	397	SAMSORG-16	SSV-2(FFBL)	NGSB-91-4	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	J. Webstar, S.B. King & G.T. York	High yielding. (1.8-3t/ha)	Northern Guinea Savanna	1970	1991

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Sorghum	398	SAMSORG-17	SSV-3(SK-5912)	NGSB-91-5	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	J. Webstar, S.B. King & G.T. York	Good for brewing high yielding. (1.8-3t/ha)	Northern and Southern Guinea Savanna	1970	1991
Sorghum	399	SAMSORG-18	SSV-4(L-2123)	NGSB-91-6	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	J. Webstar, S.B. King & G.T. York	High yielding. (1.8-3t/ha)	Northern Guinea Savanna	1970	1991
Sorghum	400	SAMSORG-19	SSV-5(L-2141)	NGSB-91-7	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	J. Webstar, S.B. King & G.T. York	High yielding, high quality pearly grain. (1.8-3t/ha)	Northern Guinea Sudan	1970	1991
Sorghum	401	SAMSORG-2	KSV-3(HP-3)	NGSB-91-8	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	El Rouby	Early maturing. (1.5-3t/ha)	Sudan and Sahel Savanna Zones	1977	1991
Sorghum	402	SAMSORG-3	KSV-4(B-ES)	NGSB-91-9	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	El Rouby	Early maturing, tolerant to striga and good palability. (1.8-2t/ha)	Sudan and Sahel Savanna Zones	1977	1991
Sorghum	403	SAMSORG-4	KSV-9(HP-8)	NGSB-91-10	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	El Rouby	Early maturing, resistant to major diseases. (1.5-2t/ha)	Sudan and Sahel Savanna Zones	1977	1991
Sorghum	404	SAMSORG-11	KSV-5(KBL)	NGSB-91-11	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	El Rouby	Early maturing	Northern Guinea Savanna	1977	1991
Sorghum	405	SAMSORG-12	KSV-6(RZI)	NGSB-91-12	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	El Rouby	Tolerant to striga. (1.8-3t/ha)	Northern Guinea Savanna and Southern Sudan Savanna	1977	1991
Sorghum	406	SAMSORG-20	SSV-6(L.187)	NGSB-91-13	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	El Rouby	High yielding, tolerant to striga. (1.8-3t/ha)	Northern Guinea Savanna	1977	1991
Sorghum	407	SAMSORG-21	SS-7(L.1499)	NGSB-91-14	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	El Rouby	Tolerant to striga. (1.8-3t/ha)	Northern Guinea Savanna	1977	1991
Sorghum	408	SAMSORG-22	SSV-8(L.181)	NGSB-91-15	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	El Rouby	High yielding, tolerant to striga. (1.8-3t/ha)	Northern Guinea Savanna	1977	1991
Sorghum	409	SAMSORG-35	MSV-1 (C-7-4)	NGSB-91-16	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	El Rouby	High yielding. (1.5-3t/ha)	Southern Guinea Savanna	1977	1991
Sorghum	410	SAMSORG-36	MSV-2(M.L.V.)	NGSB-91-17	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	El Rouby	High yielding. (1.5-3t/ha)	Southern Guinea Savanna	1977	1991
Sorghum	411	SAMSORG-37	MSV-3(FDI)	NGSB-91-18	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	El Rouby	High yielding. (1.5-3t/ha)	Southern Guinea Savanna	1977	1991
Sorghum	412	SAMSORG-5	KVS - 11 (E7A3143)	NGSB-91-19	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	T.Obilana, El Rouby	Very early maturity variety; dwarf sorghum variety.	Sudan and Sahel Savanna Zones	1982	1991

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Sorghum	413	SAMSORG-6	KSV -12 (137/63)	NGSB-91-20	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	T.Obilana, El Rouby	Early maturity (90 -110 days). (1.8-3t/ha)	Sudan and Sahel Savanna Zones	1982	1991
Sorghum	414	SAMSORG-13	KVS -7 (KL.538)	NGSB-91-21	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	T.Obilana, El Rouby	Short, semi-dwarf medium season variety.	Northern Guinea Savanna and Southern Sudan Savanna	1982	1991
Sorghum	415	SAMSORG-14	KSV -8 (A.9025)	NGSB-91-22	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	T.Obilana, El Rouby	Tolerant to striga. (1.5-3t/ha)	Northern Guinea Savanna and Southern Sudan Savanna	1982	1991
Sorghum	416	SAMSORG-23	SSV-9 (L.243)	NGSB-91-23	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	T.Obilana, El Rouby	High yielding, tolerant to striga. (1.8-3t/ha)	Northern Guinea Savanna	1982	1991
Sorghum	417	SAMSORG-24	SSV -10 (L.533)	NGSB-91-24	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	T.Obilana, El Rouby	Good for brewing, striga tolerant, high yielding. (1.8-3t/ha)	Northern Guinea Savanna and Southern Sudan Savanna	1982	1991
Sorghum	418	SAMSORG-25	SSV-11 (L.3800)	NGSB-91-25	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	T.Obilana, El Rouby	High yielding, tolerant to striga. (1.8-3.5t/ha)	Southern Guinea Savanna	1982	1991
Sorghum	419	SAMSORG-26	SSV -12 (L.3804)	NGSB-91-26	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	T.Obilana, El Rouby	High yielding 1,800-3,500kg/ha. (1.8-3.5t/ha)	Southern Guinea Savanna	1982	1991
Sorghum	420	SAMSORG-7	KSV -13 (L.2007/79)	NGSB-91-27	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	T.Obilana, El Rouby	Early maturity (90-110 days). (1.8-3t/ha)	Sudan and Sahel Savanna Zones	1984	1991
Sorghum	421	SAMSORG-8	KSV -14 (L.2024/79)	NGSB-91-28	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	T.Obilana, El Rouby	Early maturity (90-110 days). (1.8-3t/ha)	Sudan and Sahel Savanna Zones	1984	1991
Sorghum	422	SAMSORG-9	KSV -15 (L.2281/79)	NGSB-91-29	I.A.R, Samaru Zaria	I.A.R. Samaru Zaria	T.Obilana, El Rouby	Early maturity (90-110 days). (1.8-3.5t/ha)	Sudan and Sahel Savanna Zones	1984	1991
Sorghum	423	SAMSORG-41	ICSV - 111	NGSB-96-30	ICRISAT, Kano	ICRISAT, Kano & IAR, Samaru	D.S.Murty, S.C. Gupta, C.C. Nwasike, D.A. Aba & F.A. Showemimo	Hard grains with good local food quality, high yield and drought tolerant		1982	1996
Sorghum	424	SAMSORG-40	ICSV - 400	NGSB-96-31	ICRISAT, Kano	ICRISAT, Kano & IAR, Samaru	D.S.Murty, S.C. Gupta, C.C. Nwasike, D.A. Aba & F.A. Showemimo	Non lodging, drought tolerant, and non scent variety with good response to fertilizers, grains have good food and malting quality.		1982	1996

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Sorghum	425	SAMSORG-38	NR-71176nr-71176	NGSB-96-32	SUDAN ZONE ICRISAT-LINE	IAR, Samaru, Zaria	C.C. Nwasike, D.A. Aba, D.S. Murty, S.C. Gupta & F.A. Showemimo	High yielding, early maturing		1982	1996
Sorghum	426	SAMSORG-39	NR-71182	NGSB-96-33	SUDAN ZONE ICRISAT-LINE	IAR, Samaru, Zaria	C.C. Nwasike, D.A. Aba, D.S. Murty & F.A. Showemimo	High yielding, early maturing		1982	1996
Sorghum	427	SAMSORG-H1	NSSH-91001	NGSB-96-34	IAR, Samaru Zaria	IAR, Samaru, Zaria	C.C. Nwasike, D.A. Aba, D.S. Murty, S.C. Gupta & F.A. Showemimo	High yielding, early maturity		1982	1996
Sorghum	428	SAMSORG-H2	NSSH-91002	NGSB-96-35	IAR, Samaru Zaria	IAR, Samaru, Zaria	C.C. Nwasike, D.A. Aba, D.S. Murty, S.C. Gupta & F.A. Showemimo	High yielding, early maturing		1982	1996
Sorghum	429	SAMSORG-H3	ICSV-89002-NG	NGSB-96-36	ICRISA, Kano	ICRISAT, Kano & IAR, Samaru	C.C. Nwasike, D.A. Aba, D.S. Murty, S.C. Gupta & F.A. Showemimo	Stable, high yielding, drought tolerant and good grains hybrid with good malting property.		1982	1996
Sorghum	430	SAMSORG-H4	ICSV-89009-NG	NGSB-96-37	ICRISA, Kano	ICRISAT, Kano & IAR, Samaru	C.C. Nwasike, D.A. Aba, D.S. Murty, S.C. Gupta & F.A. Showemimo	Stable, high yielding, drought tolerant and good grains hybrid		1982	1996
Sorghum	431	CSR 01*	Farafara Ex Kano	NGSB-96-38	Farmers' fields Garum Baba village near Kano	NBPLC	Prof. A.B. Obilana	Excellent grains qualities for industrial use in-malting and brewing			2006
Sorghum	432	CSR 02*	Farafara Ex Katsina	NGSB-96-39	Farmers' fields	NBPLC	Prof. A.B. Obilana	Excellent grains qualities for industrial use in-malting and brewing			2006
Sorghum	433	SAMSORG 42	SSV98001	NGSB-11-40	Selection from local germplasm	IAR, Zaria	D. A. Aba, M. A. Yeye, Alhassan U., Ibrahim I. & J. A. Y. Shebayan.	High yielding, large white seeded type. (2.5-3t/ha)	Southern Guinea Savanna	2011	2011
Sorghum	434	SAMSORG 43	SSV98002	NGSB-11-41	Selection from local germplasm	IAR, Zaria	D. A. Aba, M. A. Yeye, Alhassan U., Ibrahim I. & J. A. Y. Shebayan.	High yielding, yellow seed (Pro Vit. A). (2.5-3t/ha)	Southern Guinea Savanna	2011	2011
Sorghum	435	SAMSORG 44	SSV20043	NGSB-11-42	Selection from local germplasm	IAR, Zaria	D. A. Aba, M. A. Yeye, Alhassan U., Ibrahim I. & J. A. Y. Shebayan.	High yielding, high CHO (flour). (2-2.5t/ha)	Northern Guinea/ Sudan Savanna	2011	2011



Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Sorghum	436	CSR-03 H		NGSB-12-43	AMP/IAR	Aba Malting Plant (AMP) and IAR, ICRISAT	A B Obilana, D A Aba, Hakeem A and Aliyu S.	Extra early, high yielding, Good Malting Qualities, Stay Green Trait, Small plant Type (amenable for mechanization) and short internodes. (4-4.9t/ha)	Northern Guinea And Sudan Savanna	2012	2012
Sorghum	437	CSR-04 H		NGSB-12-44	AMP/IAR	Aba Malting Plant (AMP) and IAR, ICRISAT	A B Obilana, D A Aba, Hakeem A and Aliyu S.	Early, high yielding, good malting qualities, stay green trait, bulky plant type with long internodes. (4.5-5.0t/ha)	Northern Guinea and Sudan Savanna	2012	2012
Sorghum	438	PD86W15		NGSB-13-45	DuPont Crop Protection and Purdue University, USA	DuPont Pioneer, Nigeria	O.A. Ibikunle, D.A. Aba, M. Tuinstra, M.Y. Yeye, S.E. Aladele, S.M. Bugaje, J.A.Y. Shebayan, A.M. Oparaeke, L.J. Bamaiyi, A.O. Oyedokun, J. Onyibe, A.B. Zarafi, P.S. Chindo, O. Olabanji, L.J. Bamaiyi, O. Olufajo, I.A. Mudashir, F. Oboite & S. Olatokun	Tolerant to metsulfuron methyl seed treatment; medium maturing; good stay-green characteristic; the height, earliness and uniformity allows for mechanization; good seed in the off-season of northern guinea savanna and derived savanna ecologies under irrigation. (3.5-4t/ha)	Northern Guinea Savanna	2013	2013
Sorghum	439	PD87W16		NGSB-13-46	DuPont Crop Protection and Purdue University, USA	DuPont Pioneer, Nigeria	O.A. Ibikunle, D.A. Aba, M. Tuinstra, M.Y. Yeye, S.E. Aladele, S.M. Bugaje, J.A.Y. Shebayan, A.M. Oparaeke, L.J. Bamaiyi, A.O. Oyedokun, J. Onyibe, A.B. Zarafi, P.S. Chindo, O. Olabanji, L.J. Bamaiyi, O. Olufajo, I.A. Mudashir, F. Oboite & S. Olatokun	Tolerant to metsulfuron methyl seed treatment; good stay-green characteristic; the height, earliness and uniformity allows for mechanization; good seed in the off-season of northern guinea savanna and derived savanna ecologies under irrigation. Also photoperiod insensitive. (4-5t/ha)	Sudan Guinea Savanna Zones	2013	2013
Sorghum	440	PRADHAN	PRADHAN	NGSB-14-47	Syngenta India	Devgen Seeds and Crop Technology PVT Ltd India.	Gharde G.N., D.A. Aba, G. Ajeigbe, IAR Zaria & ICRISAT Kano	White and bold grains, high grain yields. (4.2t/ha)	Sudan and Northern Guinea Savanna	2014	2014
Sorghum	441	MLSH 296 Gold	MLSH 296 Gold	NGSB-14-48	Syngenta India	Devgen Seeds and Crop Technology PVT Ltd India.	Gharde G.N., P.S. Vaidya, D.A. Aba, G. Ajeigbe, IAR Zaria & ICRISAT Kano	High grain yield. (4.6t/ha)	Northern Guinea and Sudan Savanna	2014	2014

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Sorghum	442	MLSH 151	MLSH 151	NGSB-14-49	Syngenta India	Devgen Seeds and Crop Technology PVT Ltd India.	Gharde G.N., D.A. Aba, G. Ajeigbe, IAR Zaria & ICRISAT Kano	Medium bold round grains with cream colour and high grain yield. (5.4t/ha)	Sudan Savannah	2014	2014
Sorghum	443	SAMSORG 45	12KNICSV-188	NGSB-16-50	ICRISAT, Mali	ICRISAT, Kano	Angarawai I.I., Hakeem, A. Ajeigbe, Eva R. Weltzien, F. Rattunde, D. A. Aba and D. A. Halilu	Early maturity and high grain iron (Fe) (128.99ppm/1g) content. (4.2t/ha)	Sudan and Sahel Savanna ecologies	2016	2016
Sorghum	444	SAMSORG 46	12KNICSV-22	NGSB-16-51	ICRISAT, Mali	ICRISAT, Kano	Angarawai I.I., Hakeem, A. Ajeigbe, Eva R. Weltzien, F. Rattunde, D. A. Aba, M. Yeye, U.H. Gaya and D. A. Halilu	Early maturity and moderate grain Iron (Fe) (53.92ppm/1g) content. (3.0t/ha)	Sudan and Sahel Savanna ecologies	2016	2016
Sugarcane	445	C - 1001	C - 1001	NGSO - 96-1	Coinbatore, India	Sugarcane Breeding Institute Couinbatore India		Good ratooner and tillering habits, resistant to major pests/diseases		1972	1996
Sugarcane	446	C - 957	C - 957	NGSO - 96-2	Coinbatore, India	Sugarcane Breeding Institute Couinbatore India		Suitable to various types of soils		1976	1996
Sugarcane	447	CB - 53/98	CB - 53/98	NGSO - 96-3	Compos, Brazil	Sugarcane Breeding Institute Compos, Brazil.		Good juice quality and early tillering		1980	1996
Sugarcane	448	CO - 62175	CO - 62175	NGSO - 96-4	Coinbato India	Sugarcane Breeding Institute Coinbatore, India		Good Juice quality		1984	1996
Sugarcane	449	CO - 997	CO - 997	NGSO - 96-5	Coinbato India	Sugarcane Breeding Institute Coinbatore, India		Early maturing and tillering		1984	1996
Sugarcane	450	B-61208	B-61208	NGSO - 96-6	Barbados	West India, Central Sugarcane Breeding Station Barbados		Good ratooner and tillering habits, resistant to major pests/diseases		1984	1996
Sugarcane	451	B 47419	B 47419	NGSO - 96-7	Barbados	WICSBS, Barbados Intro to Nigeria by SSCL		Resistant to smut and other diseases. Vigorous tillering and ratooning habit. Non hairy leaves		1979	1996
Sugarcane	452	B 51129	B 51129	NGSO - 96-8	Barbados	WICSBS, Barbados Intro to Nigeria by SSCL		Good tillering habit		1984	1996
Sugarcane	453	B 63349	B 63349	NGSO - 96-9	Barbados	WICSBS, Barbados Intro to Nigeria by SSCL		Broad, spreading, non hairy leaves. Good juice quality.		1984	1996
Sugarcane	454	ILS-001	USRI85/46	NGSO - 97-10	Ilorin Nigeria	USRI, ilorin Nigeria	M.A. Manhalay, G. Olaoye & S.B. Agbana	Vigorous tillering habit, fairly good ratooner.		1984	1997

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Sugarcane	455	ILS-002	USRI 86/04	NGSO - 97-11	Ilorin Nigeria	USRI, ilorin Nigeria	M.A. Manhalay, G. Olaoye & S.B. Agbana	Vigorous ratooning ability, tolerant to moisture stress.		1984	1997
Sugarcane	456	NCS 001	BD83-019	NGSO - 97-12	Badeggi Nigeria	NCRI, Badeggi Nigeria	A.O. Obajimi S. Agboire & S.B. Agbana	Non flowering, good ratooning habit		1984	1997
Sugarcane	457	NCS 002	BD83-025	NGSO - 97-13	Badeggi Nigeria	NCRI, Badeggi Nigeria	A.O. Obajimi S. Agboire & S.B. Agbana	Good ratooning habit. Good juice quality		1984	1997
Sugarcane	458	NCS 001	BD83-019	NGSO - 00-14		NCRI, Badeggi		Ratoons well and has excellent canopy for weed control			2000
Sugarcane	459	NCS 001	BD83-025	NGSO - 00-15		NCRI, Badeggi		Ratoons well, controls weeds, has good yield and juice quality			2000
Sugarcane	460	NCS- 003	BD-93-030	NGSO - 01-16	NCRI, Badeggi Nigeria	NCRI, Badeggi Nigeria	Dr. S. Abgoire M.N. Ishaq, Dr. E.H. Kwonndong	High yielding, heavy tillering, vigorous growth at early stage, early maturity and high tolerant to drought. (90t/ha - Plant crop; 80t/ha - Ratoon crop)	Dry soils of drought prone areas	1999	2001
Sugarcane	461	NCS - 005	BD.94-017	NGSO - 01-17	NCRI, Badeggi Nigeria	NCRI, Badeggi Nigeria	Dr.S. Agboire M.N. Ishaq, Dr. L. Busari	Medium yielder, heavy tillering, forms canopy early and early maturity. (109t/ha - Plant crop; 90t/ha - Ratoon crop)	Fertile heavy soils of Fadama	1999	2001
Sugarcane	462	NCS -006	KRS-01	NGSO - 01-18	NCRI, Badeggi	NCRI, Badeggi	Dr. E.H. Kwonnduing	Good ratooning ability, medium to high tillering, good canopy formation, Smut resistance, good juice quality and high cane yield. (105t/ha - Plant crop; 93t/ha - Ratoon crop)	Well drained, light and heavy fertile soils	2000	2001
Sugarcane	463	NCS - 007	KRS-8	NGSO - 01-19	NCRI, Badeggi	NCRI, Badeggi	Dr. E.H. Kwonnduing	High resistant to smut, high tillering with good canopy, good juice quality and high cane yield. (100t/ha - Plant crop; 90t/ha - Ratoon crop)	Well drained, light and heavy fertile soils	2000	2001
Sugarcane	464	NCS -008	BD96-016	NGSO - 06-20	NCRI, Badeggi	NCRI, Badeggi	Dr. M.N. Ishaq, Dr. S. Agboire	High yielding, high tillering, good ratooning ability, early maturity and moderately resistant to smut. (90t/ha (plant crop) 86t/ha (ratoon crop))		2006	2006

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Sugarcane	465	NCS-009	DTS-51	NGSO - 17-21	NCRI, Badeggi	NCRI, Badeggi and NSDC	M.N. Ishaq, G. Olaoye, A.C. Wada, M. Kawuyo, I.S. Usman, A. Ajayi, M. Hamza, M. Odaodu and J. Inuwa Shehu	High cane and sugar yield, tolerant to smut. (188.1t/ha)	Grows in well drained light and heavy of Sudan and Guinea Savanna	2017	2017
Tomato	466	SAMTOM -1	CIRIO -56	NGLE -91-1	Introduction from stezione Agraria Sperimentale, Bari, Italy	IAR, Samaru Zaria	J.G. Quinn	High yielding, good paste qualities, field tolerance to leaf diseases and moderately resistant to Fusarium race 1. (47.5-55.3t/ha)		1980	1991
Tomato	467	SAMTOM -2	MARZANINO	NGLE -91-2	Stazoine Spermantele Parma, Italy	IAR, Samaru Zaria	J.G. Quinn	High yielding, good paste qualities, field tolerance to leaf diseases and moderately resistant to Fusarium race 1. (51.7-64.1t/ha)		1980	1991
Tomato	468	SAMTOM -3	Piacenza 0164	NGLE -91-3	Institute Nazionale Gertica Rome Italy	IAR, Samaru Zaria	J.G. Quinn	High yield under heavy leaf spot disease pressure, good paste qualities		1980	1991
Tomato	469	SAMTOM -4	Harvester	NGLE -91-4	FMG Corp, California U.S..A. Peto, Italian, parwa, Italy USDA, Beltsville, Maruland, U.S.A.	IAR, Samaru Zaria	J.G. Quinn	High yield and good paste qualities. (49.5-59.1t/ha)		1980	1991
Tomato	470	SAMTOM -5	Chico	NGLE -91-5	Texas-A&M Weslaco, U.S.A	IAR, Samaru Zaria	J.G. Quinn	High yield and some heat tolerance. Good paste qualities		1980	1991
Tomato	471	SAMTOM -6	La Bonita	NGLE -91-6	Texas-A&M Weslaco, U.S.A	IAR, Samaru Zaria	J.G. Quinn	Uniform size, round and attractive fruit with skin suitable for salad		1980	1991
Tomato	472	SAMTOM -7	Roma -VF	NGLE -91-7	Royal Sluis, Enkhuizen, Holland	IAR, Samaru Zaria	J.G. Quinn	Combines high yield with good paste qualities, good processing tomato		1980	1991
Tomato	473	SAMTOM -8	Gamad	NGLE -91-8	Hazer seed Ltd, Italfa Isreal	IAR, Samaru Zaria	J.G. Quinn	High yield and good paste color, reported to have some drought tolerance. (48.3-62.4t/ha)		1980	1991

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Tomato	474	SAMTOM -9	Gemed - F	NGLE -91-9	Hazara Seeds Ltd., Halta Isreal, Dizing of W.A. (Nig) Ltd., Apapa Lagos	IAR, Samaru Zaria	J.G. Quinn	Similar to SAMTOM -8, but also resistant to Fusarium, yield 42, 100-45, 600kg/ha. (42.1-45.6t/ha)		1980	1991
Tomato	475	SAMTOM -10	Ife -1	NGLE -91-10	Faculty of Agriculture O.A.U. Ile Ife.	Faculty of Agriculture O.A.U. Ile Ife.	Dr. T. Fatunla	Medium size, round and attractive fruit with their skin, good for salad. (49-53.9t/ha)		1980	1991
Tomato	476	SAMTOM -11	Enterpriser	NGLE -91-11	USDA, Beltsville, Mary Land U.S.A.	IAR, Samaru Zaria	J.G. Quinn	Produces very large and attractive skin for salad. (46-53.7t/ha)		1980	1991
Tomato	477	SAMTOM -12	Ronita	NGLE -91-12	Station and Arnwioration des plates maraicheris, monfavent France	IAR, Samaru Zaria	J.G. Quinn	High yielding and good paste qualities		1980	1991
Tomato	478	Tomato	NHLE 30	NGLE -00-13	Ibadan	NIHORT	Dr. Lanre Denton Dr. Prem Nath	Big pink fruits when ripe, high fruit setting under wet humid condition. Tolerant to rootknot nematode		1985	2000
Tomato	479	Onityre	NGLE -158-3	NGLE -00 -14	Ogbomosho	NIHORT	Dr. Lanre Denton Dr. Prem Nath	Pinkish red puffy (ridged) fruits high fruit setting under wet humid condition. Tolerant to foliage diseases and rootknot nematode.		1985	2000
Tomato	480	Kilele	Kilele	NGLE -15 -15	Syngenta Nig. Ltd.	Syngenta Nig. Ltd.	Akhilesh Singh, Tairu, F.M., Chikaleke, V.A., Olufolaji, A.O., Akintoye, H.A., Ajayi, E.O., Afolayan, S.O., Usman, N., Oyedeji, E.O., Arogundade, O., Umeh, V.C., Babalola, S.O., Adeoye, I.B., Egbekunle, K.O., Abdul-Rafiu, A.M., Orkeh, U., Aminu-Taiwo, R.B. and Bala, I.A.	High yielding, tolerance to fusarium wilt and late blight with firm fruits. (59.8t/ha)	Adapted to Derived, Southern guinea, Northern guinea and Sudan savannah.	2015	2015

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Tomato	481	Chibli	Chibli	NGLE -15 -16	Syngenta Nig. Ltd.	Syngenta Nig. Ltd.	Sylvain Bontems, Tairu, F.M., Chikaleke, V.A., Olufolaji, A.O., Akintoye, H.A., Ajayi, E.O., Afolayan, S.O., Usman, N., Oyedeji, E.O., Arogundade, O., Umeh, V.C., Babalola, S.O., Adeoye, I.B., Egbekunle, K.O., Abdul-Rafiu, A.M., Orkeh, U., Aminu-Taiwo, R.B. and Bala, I.A.	High yielding, tolerant to fusarium wilt, late blight, with firm fruits and high brix good for processing. (56.7t/ha)	Adapted to Derived, Southern guinea, Northern guinea and Sudan savannah.	2015	2015
Tomato	482	Tylka	Tylka	NGLE -15 -17	Syngenta Nig. Ltd.	Syngenta Nig. Ltd.	Luis Ortega, Tairu, F.M., Chikaleke, V.A., Olufolaji, A.O., Akintoye, H.A., Ajayi, E.O., Afolayan, S.O., Usman, N., Oyedeji, E.O., Arogundade, O., Umeh, V.C., Babalola, S.O., Adeoye, I.B., Egbekunle, K.O., Abdul-Rafiu, A.M., Orkeh, U., Aminu-Taiwo, R.B. and Bala, I.A.	High yielding, tolerant to Verticillium and fusarium wilt, Grey leaf spot, with firm fruits. (53.5t/ha)	Adapted to Derived, Southern guinea, Northern guinea and Sudan savannah.	2015	2015
Wheat	483	SAM-WHIT-1	Tousson	NGTA-91-1	Introduction from F.A.O.	I.A.R, Samaru Zaria		Wide adaptability, high yielding. (4.5-5t/ha)		1965	1991
Wheat	484	SAM-WHIT-2	Florance Amore 8193	NGTA-91-2	Introduction from F.A.O.	I.A.R, Samaru Zaria		Very good bread making qualities. (4.5-5t/ha)		1965	1991
Wheat	485	SAM-WHIT-3	Sonora 63	NGTA-91-3	Introduction from Mexico	I.A.R, Samaru Zaria		Good grain qualities, good bread making qualities. (4.5-5t/ha)		1971	1991
Wheat	486	SAM-WHIT-4	LEEX (N 10B) (GB -55)	NGTA-91-4	Introduction from Mexico	I.A.R, Samaru Zaria		High yielding, good bread making qualities. (4.5-5t/ha)		1971	1991
Wheat	487	SAM-WHIT-5	Siette-Cerros	NGTA-91-5	Introduction from Mexico	I.A.R, Samaru Zaria		High yielding, general adaptability. (4.5-5t/ha)		1975	1991
Wheat	488	LACRI WHIT-1	SER-M 82	NGTA-98-6	CIMMYT Mexico	LCRI, Maiduguri sasakawa Global, 2000 and IAR., Samaru Zaria	A.Mustapha, Y.Yakubu & J.A. Valenica	High yielding and good banking quality		1998	1998

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Wheat	489	LACRI WHIT-2	Cettia	NGTA-05-7	CIMMYT Mexico	LCRI	A. Mustapha & J.A. Valencia	Early maturing, heat tolerant, high yielding & excellent, baking quality		2005	2005
Wheat	490	LACRI WHIT-3	LINFEN	NGTA-05-8	CIMMYT Mexico	LCRI & IAR, Zaria	A. Mustapha & J.A. Valencia	High yielding , golden yellow grain and excellent baking quality		2005	2005
Wheat	491	LACRI WHIT-4	Atilla Gan Atilla	NGTA-08-9	CIMMYT Mexico	LCRI	A. Mustapha & J.A. Valencia	Medium maturing, heat tolerant, high yielding and good baking quality		2008	2008
Wheat	492	LACRI WHIT-5	NORMAN [RSM-NORMAN F2008]	NGTA-14-10	CIMMYT Mexico	CIMMYT Mexico, LCRI Maiduguri, IAR Zaria & S.G. 2000	S. Rajaram, Y. Yakubu, O.G. Olabanji, Z.G.S. Turaki, I.U. Abubakar & S. Asefa	High yielding and good baking quality. (6.0t/ha)	Sudano Sahelian	2014	2014
Wheat	493	LACRI WHIT-6	REYNA 28 [CHAM4/SHUHA 'S'/6/2*SAKER/5/RBS/ANZA/3/KVZ/HYS/YMH/TOB]	NGTA-14-11	ICARDA, Sudan	ICARDA Tunisia, LCRI Maiduguri, IAR Zaria & S.G. 2000	O. Abdallah, Y. Yakubu, O.G. Olabanji, Z.G.S. Turaki, I.U. Abubakar, M. El-Mourid & H. Ketata	Early maturity, high yielding and good baking quality. (5.5t/ha)	Sudano Sahelian	2014	2014
Wheat	494	LACRI WHIT-7	REYNA 15	NGTA-15-12	ICARDA, Sudan	ICARDA Tunisia and LCRI Maiduguri	O. Abdallah, Y. Yakubu, O.G. Olabanji, Z.G.S. Turaki, I.U. Abubakar, Solomon Assefa and H. Ketata	High yield, tolerant to septoria leaf - and glume blotch diseases, and good baking quality. (5.17t/ha)	Well adapted to the highlands	2015	2015
Wheat	495	LACRI WHIT-8	CROW'S/BOW'S'-3-1994/95/TEVEE'S'/TADINIA	NGTA-15-13	ICARDA, Sudan	ICARDA Tunisia and LCRI Maiduguri	O. Abdallah, Y. Yakubu, O.G. Olabanji, Z.G.S. Turaki, I.U. Abubakar, Solomon Assefa and H. Ketata	High yield, tolerant to septoria leaf - and glume blotch diseases, and good baking quality. (4.5t/ha)	Well adapted to the highlands	2015	2015
Wheat	496	LACRI WHIT-9	PASTOR	NGTA-17-14	ICARDA, Sudan	ICARDA Sudan and LCRI Maiduguri	O. Abdalla, S. Asefa, H. Ketata, Y. Yakubu, Z.G.S. Turaki, O.G. Olabanji, I.U. Abubakar and M. El-Mourid	Heat tolerant, high yielding and good baking quality. (7.7t/ha)	Well adapted to irrigated conditions of the Sudano-sahelian zones	2017	2017
Wheat	497	LACRI WHIT-10	KAUZ	NGTA-17-15	ICARDA, Sudan	ICARDA Sudan and LCRI Maiduguri	O. Abdalla, S. Asefa, H. Ketata, Y. Yakubu, Z.G.S. Turaki, O.G. Olabanji, I.U. Abubakar and M. El-Mourid	Heat tolerant, high yielding and good baking quality. (7.1t/ha)	Well adapted to irrigated conditions of the Sudano-sahelian zones	2017	2017
Yam	498	TDR 89/02677	TDR 89/02677	NGDR-01-1	NRCRI Umudike, IITA, Ibadan	NRCRI Umudike, IITA, Ibadan	Dr. S.K. Hahn, Dr. R. Asiedu & Dr. G.C. Orkwor	Stable yield, very good cooking and pounding qualities, cream tuber parenchyma, 25% tuber dry matter content.	Forest and Southern Guinea Savanna	2001	2001

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Yam	499	TDR 89/02565	TDR 89/02565	NGDR-01-2	NRCRI Umudike, IITA, Ibadan	NRCRI Umudike, IITA, Ibadan	Dr. S.K. Hahn, Dr. R. Asiedu & Dr. G.C. Orkwor	Stable yield, very good cooking and pounding qualities, cream non oxidizing parenchyma, 35% tuber dry matter.	Forest and Southern Guinea Savanna	2001	2001
Yam	500	TDR 89/02461	TDR 89/02461	NGDR-01-3	NRCRI Umudike, IITA, Ibadan	NRCRI Umudike, IITA, Ibadan	Dr. S.K. Hahn, Dr. R. Asiedu & Dr. G.C. Orkwor	Stable yield, very good as cooking and pounding qualities, cream parenchyma, 26.7% tuber dry matter.	Forest and Southern Guinea Savanna	2001	2001
Yam	501	TDR 89/02665	TDR 89/02665	NGDR-03-4	IITA, Ibadan/NRCRI, Umudike	IITA, Ibadan/NRCRI, Umudike	Dr. S.K. Hahn, Dr. R. Asiedu & Dr. G.C. Orkwor	Stable yield very good cooking and pounding qualities, cream non-oxidizing parenchyma, 35.3% tuber dry matter.	Forest and Southern Guinea Savanna	2003	2003
Yam	502	TDR 89/01213	TDR 89/01213	NGDR-03-5	IITA, Ibadan/NRCRI, Umudike	IITA, Ibadan/NRCRI, Umudike	Dr. S.K. Hahn, Dr. R. Asiedu & Dr. G.C. Orkwor	Stable yield, very good cooking and pounding qualities, white non-oxidizing parenchyma, tuber dry matter = 29.8%	Forest and Southern Guinea Savanna	2003	2003
Yam	503	TDR 89/01438	TDR 89/01438	NGDR-03-6	IITA, Ibadan/NRCRI, Umudike	IITA, Ibadan/NRCRI, Umudike	Dr. S.K. Hahn, Dr. R. Asiedu & Dr. G.C. Orkwor	Stable yield, very good cooking and pounding qualities, white non-oxidizing parenchyma, tuber dry matter = 29.3%	Forest and Southern Guinea Savanna	2003	2003
Yam	504	TDR 95/01924	TDR 95/01924	NGDR-03-7	IITA, Ibadan/NRCRI, Umudike	IITA, Ibadan/NRCRI, Umudike	Dr. S.K. Hahn, Dr. R. Asiedu & Dr. G.C. Orkwor	Stable yield, very good cooking and pounding qualities, white non-oxidizing parenchyma, tuber dry matter = 32.8%	Forest and Southern Guinea Savanna	2003	2003
Yam	505	DRN 200/4/2	DRN 200/4/2	NGDR-08-8	NRCRI, Umudike	NRCRI, Umudike	E. C. Nwachukwu	High yielding, pests and diseases tolerant, very good for fufu, frying and boiling. (35t/ha)	Yam Zones of Nigeria	2008	2008
Yam	506	TDa98/01176	TDa98/01176	NGDA-08-9	IITA, Ibadan	NRCRI Umudike	R. Asiedu & C.N. Egesi	High yielding, pests and diseases tolerant, good for pounded yam, frying and boiling, suitable for both rainy and dry seasons yam production. (26-30t/ha)	Yam Zones of Nigeria	2008	2008
Yam	507	TDa98/01168	TDa98/01168	NGDA-08-10	IITA, Ibadan	NRCRI Umudike	R. Asiedu & C.N. Egesi	High yielding, pests and diseases tolerant, good for pounded yam frying and boiling. (24-28t/ha)	Yam Zones of Nigeria	2008	2008



Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Yam	508	TDa98/01166	TDa98/01166	NGDA-08-11	IITA, Ibadan	NRCRI Umudike	R. Asiedu & C.N. Egesi	High yielding, pests and diseases tolerant, good for pounded yam, frying and boiling, suitable for both rainy and dry seasons yam production. (26-30t/ha)	Yam Zones of Nigeria	2008	2008
Yam	509	TDr 95/19158	TDr 95/19158	NGDR-09-12	IITA, Ibadan	NRCRI, Umudike	R. Asiedu	High yielding, pests and diseases tolerant, very good for yam, fufu, frying and boiling. (29.4t/ha)	Yam Zones of Nigeria	2009	2009
Yam	510	TDr 89/02602	TDr 89/02602	NGDR-09-13	IITA, Ibadan	NRCRI, Umudike	R. Asiedu, J.G. Ikeorgu and E.C. Nwachukwu	High yielding, pests and diseases tolerant, very good for yam, fufu, frying and boiling. (31.5t/ha)	Yam Zones of Nigeria	2009	2009
Yam	511	TDr 89/02660	TDr 89/02660	NGDR-09-14	IITA, Ibadan	NRCRI, Umudike	R. Asiedu, J.G. Ikeorgu and E.C. Nwachukwu	High yielding, pests and diseases tolerant, very good for yam, fufu, frying and boiling. (31t/ha)	Yam Zones of Nigeria	2009	2009
Yam	512	TDa 00/00194	TDa 00/00194	NGDA-09-15	IITA, Ibadan	NRCRI, Umudike	R. Asiedu, C. N. Egesi and J. G. Ikeorgu	High yielding, pests and diseases tolerant, good for pounded yam, frying and boiling. (37.5t/ha)	Yam Zones of Nigeria	2009	2009
Yam	513	TDa 00/00104	TDa 00/00104	NGDA-09-16	IITA, Ibadan	NRCRI, Umudike	R. Asiedu, C. N. Egesi and J. G. Ikeorgu	High yielding, pests and diseases tolerant, good for pounded yam, frying and boiling. (30t/ha)	Yam Zones of Nigeria	2009	2009
Yam	514	UMUDa-4	TDa 00/00364	NGDA-10-17	IITA, Ibadan	NCRI, Umudike	R. Asiedu, C.N. Egesi & J.G. Ikeorgu	High yielding, good for Amala, pounded yam, frying and boiling. (33.3t/ha)	Yam Zones of Nigeria	2010	2010
Yam	515	UMUDr-17	TDr 95/19177	NGDR-10-18	IITA, Ibadan	NCRI, Umudike	R. Asiedu, E.C. Nwachukwu & J.G. Ikeorgu	High yielding under dry season yam cropping system. (30t/ha)	Yam Zones of Nigeria	2010	2010
Yam	516	UMUDr-18	TDr 89/02475	NGDR-10-19	NCRI, Umudike	NCRI, Umudike	R. Asiedu, E.C. Nwachukwu & J.G. Ikeorgu	High yielding, pests and diseases tolerant, very good for yam fufu, frying and boiling. (31t/ha)	Yam Zones of Nigeria	2010	2010
Yam	517	UMUDr-20	TDr 98/00933	NGDR-16-20	IITA, Ibadan	IITA, Ibadan and NRCRI, Umudike	Lopaz, A., Maroya, N Asiedu, R., Nwankwo, I.I.M., Eke-Okoro, O.N., Ikeorgu, and J.G. Ikoro, A. I.	High yielding. (39.8t/ha)	Rainforest, Southern and Northern Guinea Savanna	2016	2016

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Yam	518	UMUDr-21	99/Amo/064	NGDR-16-21	IITA, Ibadan	NRCRI, Umudike	Nwachukwu, E.C., Nwankwo, I.I.M., Eke-Okoro, O.N., Ikeorgu, and J.G. Ikoru, A. I.	High yielding. (43.9t/ha)	Rainforest and Guinea Savanna	2016	2016
Amaranthus	519	Tete (Green)	NHAC 49	NGAC-00-1	Ote (Kwara State)	NIHORT	Dr.Denton, Olufolaji and Badra	Late maturing, adaptable to several cuttings, high yielding and nematode resistant.		1985	2000
Amaranthus	520		NHAC 84/445-2	NGAC-00-2	IPGRI	NIHORT	Dr.Denton, Olufolaji and Badra	Uniform green, vegetable colour with edible leaves and seeds.		1987	2000
Amaranthus	521		ED82/1019B	NGAC-00-3	Zaria	NIHORT	Dr.Denton, Mr. Edema and Miss Dinakin	Early flowering with broad green leaves.		1987	2000
Amaranthus	522		NHAC/84/452	NGAC-00-4	IPGRI	NIHORT	Dr. O.A. Denton, Olufolaji and Badra	Tall deep purple stem with edible leaves and seeds		1987	2000
Amaranthus	523	Tete (Opopo)	NHAD 35	NGAC-00-5	Ibadan	NIHORT	Dr.O.A. Denton & Dr. Prem Nath	Tall soft green leaves with profuse branching habit, suitable for repeated cuttings.		1984	2000
Amaranthus	524		NH84/457-E	NGAC-00-6	IPGRI	NIHORT	NIHORT	Uniform green colour with edible leaves and seeds.		1987	2000
Amaranthus	525	NHAMAR1	NHAMOLA5	NGAC-16-7	NIHORT	NIHORT	Olagorite Adetula, Mary Adeyemi, Olatunbosun Bolaji, Olabode Isaac and Usman Nasiru	Early maturity, good stay green, tolerance to <i>Choanephora cucurbitarium</i> and lodging (25t/ha)	Rainforest up to Sudan Savanna	2016	2016
Amaranthus	526	NHOKRA1	NHOLAK7	NGAC-16-8	NIHORT	NIHORT	Olagorite Adetula, Folashade Omotaajo, Usman Nasiru and Olatunbosun Bolaji	High yield, spineless, early maturity (23.96t/ha)	Rainforest up to Sudan Savanna	2016	2016
Sokoyokoto	527	Sokoyokoto (soko-funfun)	NHCA 1	NGCA-00-1	Abeokuta	NIHORT	NIHORT	Narrow lancolate leaves with good cooking qualities and woody stem with white colour		1984	2000
Sokoyokoto	528	TLV 8	NHCA 2	NGCA-00-2	IITA	NIHORT	Dr. Wilson and Dr. O.A. Denton	Broad leaves with succulent stems adaptable to cutting. Late flowering		1986	2000
Sokoyokoto	529	TLV 9	NHCA 3	NGCA-00-3	IITA	NIHORT	Dr. Wilson and Dr. O.A. Denton	Leaf with purple pigmentation, suitable for cutting		1986	2000
Corchorus	530	NHC 03	Ewedu Eti Ehoru	NGCO-00-1	Ilorin	NIHORT	Dr. O.A. Denton and Miss Dinakin	Good draw property, deep green and shining leaves. Tolerant to rootknot nematode.		1981	2000

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Corchorus	531	NHC 06	Amungbadu	NGCO-00-2	Abeokuta	NIHORT	Dr. O.A. Denton and Miss Dinakin	Good draw property, deed green and shining leaves. Tolerant to rootknot nematode.		1982	2000
Corchorus	532	NHC 09	Oniyaya	NGCO-00-3	Abeokuta	NIHORT	Dr. O.A. Denton and Miss Dinakin	Shining deeply serrated leaves. Suitable for uprooting and cutting.		1982	2000
Okra	533	V <sub>2</sub>	V <sub>2</sub>	NGAE-96-1	IAR&T Ibadan	IAR&T Ibadan	Dr. A.O. Ojomo	Fruit slender, smooth, bell-shaped, high yielding.		1973	1996
Okra	534	V <sub>35</sub>	V <sub>35</sub>	NGAE-96-2	IAR&T Ibadan	IAR&T Ibadan	Dr. A.O. Ojomo	High yielding, bigger fruits.		1973	1996
Okra	535	NHAR 47-4	NHAR 47-4	NGAE-00-3	Ilorin	NIHORT	Dr. O.A. Denton and Prem Nath	Early maturing, good draw property		1985	2000
Solanum	536	Osungba 1	Osungba 1	NGSM-96-1	IAR&T Ibadan	IAR&T Ibadan	Dr. M.O. Omidiji	Both leaves and fruits edible		1977	1996
Solanum	537	Osungba 2	Osungba 2	NGSM-96-2	IAR&T Ibadan	IAR&T Ibadan	Dr. M.O. Omidiji	Both leaves and fruits edible		1977	1996
Solanum	538	Osungba 3	Osungba 3	NGSM-96-3	IAR&T Ibadan	IAR&T Ibadan	Dr. M.O. Omidiji	Both leaves and fruits edible		1977	1996
Solanum	539	Ogudu	Ogudu	NGSM-96-4	IAR&T Ibadan	IAR&T Ibadan	Dr. M.O. Omidiji	High yielding leaf vegetable with acceptable non-bitter taste		1977	1996
Pepper	540	Ata Sombo	NHCf 371	NGCF-00-1	Ogbomoso	NIHORT	Drs. Denton and Nath, Miss Dinakin	Upright fruit bearing profile.		1982	2000
Pepper	541	Ata Sombo	NHCf 387	NGCF-00-2	Kano	NIHORT	Drs. Denton and Badra, Miss Dinakin	Profuse fruit setting with an upright plants shape.		1981	2000
Pepper	542	Ata Wewe	NHCf 378	NGCF-00-3	Zaria	NIHORT	Dr. Denton and Miss Dinakin	Erect with profuse fruiting and an upright fruit carriage.		1983	2000
Pepper	543	Ata Rodo	NACa(R) 142B	NGCF-00-4	Oyo	NIHORT	Drs. Denton and Badra, Miss Dinakin	Erect, green stem colour, fruit declining, low pungency.		1984	2000
Pepper	544	Ata Rodo	NACa(R) 429	NGCF-00-5	Ibadan	NIHORT	Drs. Denton and Nath, Miss Dinakin	Prolific flowering and fruiting, disease tolerant.		1982	2000

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Pepper	545	Lafayette	Lafayette	NGCF-16-6	Syngenta Holland	Syngenta Holland	Chikaleke, V.A., Tairu, F.M., Ajayi, E.O., Olufolaji, A.O., Akintoye, H.A., Afolayan, S.O., Usman, N., Adeleke, O., Babalola, O.S., Oyedeji, E. O., Arogundade, O., Adeoye, I.B., Orkpeh, U., Oduntan, A.O., Umeh, V.C. And Bala, I. A.	High yield; large, firm, blocky and smooth-skinned fruits. (26t/ha)	Derived, Southern Guinea, Northern Guinea and Sudan Savannah	2016	2016
Pepper	546	Jupiter	Jupiter	NGCF-16-7	Syngenta Holland	Syngenta Holland	Chikaleke, V.A., Tairu, F.M., Ajayi, E.O., Olufolaji, A.O., Akintoye, H.A., Afolayan, S.O., Usman, N., Adeleke, O., Babalola, O.S., Oyedeji, E. O., Arogundade, O., Adeoye, I.B., Orkpeh, U., Oduntan, A.O., Umeh, V.C. And Bala, I. A.	High yield; resistance to TMV, CMV and PVY. (32t/ha)	Derived, Southern Guinea, Northern Guinea and Sudan Savannah	2016	2016
Melon	547	Egusi Bara	NHCL 1	NGCL-00-1	I.I.T.A.	I.I.T.A.	Dr Wilson, Mr. Adeniran and Dr. Denton	Prolific fruit setting and high seed yield. Seeds are easy to shell.		1979	2000
Melon	548	Egusi Serewe	NHC 2	NGCL-00-2	I.I.T.A.	I.I.T.A.	Dr Wilson, Mr. Adeniran and Dr. Denton	High number of seeds per fruit with profuse branching habit and medium fruit size.		1979	2000
Cocoa	549	Hybrid Series	TC-1	NGTC-99-1	Local X Amazon Single Cross	CRIN Ibadan.	Opeke L. and H. Toxopeus	Best adapted to dry conditions. And it has pale to dark purple beans.	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	1967	1999
Cocoa	550	Synthetic Series I	CSS1	NGTC-99-2	F <sub>3</sub> Amazon	CRIN Ibadan.	L.Opeke and H.Toxopeus	Better than N38 in precocity establishment and pod production. Genetically broad based, produced bean of qualities acceptable to chocolate manufacturers.	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	1963	1999

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cocoa	551	Synthetic Series III	CRIN synthetic series I and F <sub>3</sub> Amazon	NGTC-99-3	F <sub>2</sub> Open pollinated Local X Amazon	CRIN Ibadan.	L.Opeke and H.Toxopeus	Best for rehabilitation in area of swollenshoot mass infection	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	1967	1999
Cocoa	552	Synthetic Series IV	TC-4	NGTC-99-4	F <sub>2</sub> Open pollinated	CRIN Ibadan.	L.Opeke and H.Toxopeus	Good establishment ability, tolerance CSSV and pod rot with a habitat of low land humid rain forest.	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	1972	1999
Cocoa	553	Hybrid Series II		NGTC-99-5	Progeny Selection	CRIN Ibadan.	L.Opeke and H.Toxopeus	Better than N38 in precocity, establishment and pod production. Genetically broad based, produces beans of qualities acceptable to chocolate manufacturers.	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	1963	1999
Cocoa	554	Synthetic Series II	Hybrid cocoa CSS II	NGTC-99-6	Local X Amazon Single Cross	CRIN Ibadan.	H.Toxopeus	Good establishment ability, more precocious and high yielding than F <sub>3</sub> Amazon, high pod value, exhibition of high degree of heterosis. Has a low land humid main forest habitat.	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	1967	1999
Cocoa	555	CRINTc-1		NGTC-10-7	CRIN, Ibadan	CRIN, Ibadan	Dr. P. O. Aikpokpodion, Mr. K. Badaru, Mr. B.D. Adewale Dr. A.B. Eskes Mr. L.O. Raji, Dr. J.C. Anikwe, Mr. A.H. Otunonye, Dr. S.O. Agbeniyi & Mr. Ed. Seguine	Early fruiting (one year earlier than the F <sub>3</sub> Amazon variety) and high yielding with 'Acceptable Cocoa Base' quality. (1.9-2.2t/ha)	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	2010	2010
Cocoa	556	CRINTc-2		NGTC-10-8	CRIN, Ibadan	CRIN, Ibadan	Dr. P. O. Aikpokpodion, Mr. K. Badaru, Mr. B.D. Adewale Dr. A.B. Eskes Mr. L.O. Raji, Dr. J.C. Anikwe, Mr. A.H. Otunonye, Dr. S.O. Agbeniyi & Mr. Ed. Seguine	Early fruiting (one year earlier than the F <sub>3</sub> Amazon variety) and high yielding with 'Superior Cocoa Base' quality. (1.94-2.3t/ha)	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	2010	2010

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cocoa	557	CRINTc-3		NGTC-10-9	CRIN, Ibadan	CRIN, Ibadan	Dr. P. O. Aikpokpodion, Mr. K. Badaru, Mr. B.D. Adewale Dr. A.B. Eskes Mr. L.O. Raji, Dr. J.C. Anikwe, Mr. A.H. Otunonye, Dr. S.O. Agbeniyi & Mr. Ed. Seguine	Highly resistant to Phytophthora pod rot and mirid ( <i>Sahlbergella singularis</i> ) Early fruiting (one year earlier than the F3 Amazon variety) and high yielding with 'Superior Cocoa Base' quality. Especially suited to high rainfall areas due to resistance to the black pod disease (Phytophthora pod rot). (1.7-2t/ha)	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	2010	2010
Cocoa	558	CRINTc-4		NGTC-10-10	CRIN, Ibadan	CRIN, Ibadan	Dr. P. O. Aikpokpodion, Mr. K. Badaru, Mr. B.D. Adewale Dr. A.B. Eskes Mr. L.O. Raji, Dr. J.C. Anikwe, Mr. A.H. Otunonye, Dr. S.O. Agbeniyi & Mr. Ed. Seguine	Especially suited to the Moist Savanna and drier areas. (1.5-1.8t/ha)	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	2010	2010
Cocoa	559	CRINTc-5		NGTC-10-11	CRIN, Ibadan	CRIN, Ibadan	Dr. P. O. Aikpokpodion, Mr. K. Badaru, Mr. B.D. Adewale Dr. A.B. Eskes Mr. L.O. Raji, Dr. J.C. Anikwe, Mr. A.H. Otunonye, Dr. S.O. Agbeniyi & Mr. Ed. Seguine	Resistance to mirid insect attack, source of resistance to the "Witches Broom" disease and adaptation to drier area. (1.5-1.85t/ha)	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	2010	2010
Cocoa	560	CRINTc-6		NGTC-10-12	CRIN, Ibadan	CRIN, Ibadan	Dr. P. O. Aikpokpodion, Mr. K. Badaru, Mr. B.D. Adewale Dr. A.B. Eskes Mr. L.O. Raji, Dr. J.C. Anikwe, Mr. A.H. Otunonye, Dr. S.O. Agbeniyi & Mr. Ed. Seguine	High adaptation to high rainfall area due to resistance to the black pod disease (Phytophthora pod rot). (1.4-1.65t/ha)	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	2010	2010

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Cocoa	561	CRINTc-7		NGTC-10-13	CRIN, Ibadan	CRIN, Ibadan	Dr. P. O. Aikpokpodion, Mr. K. Badaru, Mr. B.D. Adewale Dr. A.B. Eskes Mr. L.O. Raji, Dr. J.C. Anikwe, Mr. A.H. Otunonye, Dr. S.O. Agbeniyi & Mr. Ed. Seguire	Highly resistant to mirid attack; suited to high rainfall and drier areas and excellent chocolate quality. (1.6-1.9t/ha)	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	2010	2010
Cocoa	562	CRINTc-8		NGTC-10-14	CRIN, Ibadan	CRIN, Ibadan	Dr. P. O. Aikpokpodion, Mr. K. Badaru, Mr. B.D. Adewale Dr. A.B. Eskes Mr. L.O. Raji, Dr. J.C. Anikwe, Mr. A.H. Otunonye, Dr. S.O. Agbeniyi & Mr. Ed. Seguire	High adaptation to Moist Savanna and drier areas, Flavour Good for chocolate and resistance to the black pod disease. (1.2-1.5t/ha)	Humid Forest, Forest Transition/Derived Savanna and Southern Guinea Savanna	2010	2010
Cashew	563	G Series	G. Series	NGAO-99-1	Eruwa and Iwo	CRIN	J.M. Sanwo, M. Faluyi and Badaru.K	High yielding with intensive and extensive branching habit.	Forest Transition/Derived Savanna	1982	1999
Kola	564	AC58		NGCN-99-1	Agege Ibadan	CRIN Ibadan	Russel T. and Van Eijnatten	Self compatibility with red bean / nut colour and two cotyledons.	Forest Transition/Derived Savanna	1982	1999
Kola	565	AA231		NGCN-99-2	Agege Ibadan	CRIN Ibadan	T.A Russel and van Eijnatten	General combining ability and homozygous for red nuts.	Forest Transition/Derived Savanna	1982	1999
Kola	566	AD44		NGCN-99-3	Agege Ibadan	CRIN Ibadan	Van Eijnatten	Self compatible, high yielding. High general combing ability, red and white nut.	Forest Transition/Derived Savanna	1982	1999
Coffee	567	S.L. series	S.L. series	NGCA-99-1	Kenya	CRIN Ibadan	Dr. J.A. Williams	High yielding in a habitant of cold high altitude region with 2 beans per pod and a grey colour and also as irregular branching habit.		1975	1999
Coffee	568	Quillou	Quillou	NGCA-99-2	Zaire	CRIN Ibadan	Dr. J.A. Williams	High yielding and uniform bearing habits. It has an erect and intensive branching habit.		1972	1999

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Oil Palm	569	EWS-NIFOR4	Tenera	NGEG-00-1	NIFOR Benin City	NIFOR Benin City	Spamaaij, L.D., Menendez, T.G. Blaak, Obasola, C.O., Mekako, H.U., Otedoh, M.O., Akpan, E.E.J., Obisesan, I., Okwuagwu, C.O., Okolo, E.C., Oboh, B.C.D. Ataga	Slow stem increment and early maturing.	Humid Forest, Forest Transition/Derived Savanna	1984	2000
Coconut	570	NIFOR-WAT1		NGCN-00-1	NIFOR Benin City	NIFOR Benin City	Mr. C.O. Obasola Dr. K.U.K. Nampthiri Dr.M.O. Otedoh Dr. (Mrs) C.O. Okwuagwu Dr.E.E.J. Akpan Dr. J.O. Odewale Dr. E.C.Okolo Dr. C. Ataga	Early flowering and good fruit composition.	Humid Forest, Forest Transition/Derived Savanna	1975	2000
Coconut	571	NIFOR Dwarf		NGCN-00-2	NIFOR Benin City	NIFOR Benin City	Mr. C.O. Obasola Dr. K.U.K. Nampthiri Dr.M.O. Otedoh Dr. (Mrs) C.O. Okwuagwu Dr.E.E.J. Akpan Dr. J.O. Odewale Dr. E.C.Okolo & Dr. C. Ataga.	Available in yellow, green and orange fruit colours and early flowering	Humid Forest, Forest Transition/Derived Savanna	1975	2000
Coconut	572	NIFOR Hybrid		NGCN-00-3	NIFOR Benin City	NIFOR Benin City	Mr. C.O. Obasola Dr. K.U.K. Nampthiri Dr.M.O. Otedoh Dr. (Mrs) C.O. Okwuagwu Dr.E.E.J. Akpan Dr. J.O. Odewale Dr. E.C.Okolo & Dr. C. Ataga.	Early flowering and good fruit composition.	Humid Forest, Forest Transition/Derived Savanna	1980	2000
Date Palm	573	NIFOR-DATE PALM1		NGPD-00-1	Dutse Nigeria	NIFOR	M.O. Otedoh, C.O. Okwuagwu, E.E.J. Akpan, E.C. Okolo, J.O. Odewale & Ataga C.D	Early flowering and early fruit ripping.	Humid Forest, Forest Transition/Derived Savanna		2000
Raphia Palm	574	NIFOR-RAPHIA PALM1		NGRH-00-1	Benin City Nigeria	NIFOR	M.O Otedoh, C.O. Okwuagwu, E.E.J. Akpan, E.C.Okolo, J.O. Odewale & Ataga C.D.	Early maturing	Humid Forest, Forest Transition/Derived Savanna		2000



Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Sweet Potato	575	TIS-87/0087	TIS-87/0087	NGIB-01-1	IITA, Ibadan	IITA, Ibadan	Dr. S.K. Hahn	Widely adapted, highly dependable as under any adverse condition produces economic yield. Good for fries and chips, high tolerance to sweet potato weevil.		1992	2001
Sweet Potato	576	TIS-87/0087	TIS-8164	NGIB-01-2	IITA, Ibadan	IITA, Ibadan	Dr. S.K. Hahn	Very high root yields. The top is highly cherished by livestock and fishes.		1992	2001
Sweet Potato	577	TIS2532.OP.1.13	TIS2532.OP.1.13	NGIB-01-3	IITA, Ibadan	IITA, Ibadan	Dr. S.K. Hahn	Tuberous roots are very large with white flesh.		1992	2001
Sweet Potato	578	TIS-8164	TIS-8164	NGIB-01-4	IITA, Ibadan	IITA, Ibadan	Dr. S.K. Hahn	Very high root yields. The top is highly cherished by livestock and fishes. Good for starch production.		1992	2001
Sweet Potato	579	TIS-2532 OP.1.13	TIS 8164	NGIB-01-5	IITA, Ibadan	IITA, Ibadan	Dr. S.K. Hahn	Tuberous roots are very large with white flesh.		1993	2001
Sweet Potato	580	UMUSP 1	NRSP/05/022	NGIB-12-6	NRCRI, Umudike	NRCRI, Umudike	Solomon O. Afuape, Innocent I.M. Nwankwo, Ted Carey, Chiedozie N. Egesi, Jude Njoku, Thankgod N. C. Echendu and Jan Low	High beta carotene, high dry matter, high root yield and resistant to SPVD. (63.63t/ha)	Rainforest and Northern Guinea Savanna	2012	2012
Sweet Potato	581	UMUSP 2	NRSP/05/10D	NGIB-12-7	NRCRI, Umudike	NRCRI, Umudike	Solomon O. Afuape, Innocent I.M. Nwankwo, Chiedozie N. Egesi, Jude Njoku and Thankgod N. C. Echendu	White-fleshed sweetpotato with high dry matter, high yield and high resistance to sweetpotato virus disease. (44t/ha)	Rainforest and Northern Guinea Savanna	2012	2012
Sweet Potato	582	UMUSP 3	CIP 440293	NGIB-13-8	International Potato Center, SSA Office, Uganda.	NRCRI, Umudike	Solomon O. Afuape, Innocent I.M. Nwankwo, Jan Low, Njoku, J.C., Echendu, T.N.C. & Carey, T.E.	High carotene content and high yield. (56.4t/ha)	Southern Guinea and Northern Sudan Savanna	2013	2013
Irish Potato	583	VC 801-4	VC 801-4	NGST-03-1	Nigeria	NCRI Umudike, Abia State	Mr. Suchone Del.R	High and stable yield, Large tubers with few branches.		1980	2003
Irish Potato	584	VC 785-2	VC 785-2	NGST-03-2	Nigeria	NCRI Umudike, Abia State	Mr. Suchone D.R	High and stable yield with moderate branching habit.		1976	2003
Irish Potato	585	BR63-18	BR63-18	NGST-03-3	USDA University of Wisconsin			Early maturing, short dormancy excellent culinary qualities. High dry matter.			2003

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Potato	586	Marabel	Marabel	NGST-14-4	Europlant, Germany	Europlant, Germany	Benning, R., Danbaba, A.K., Lenka, D.M., Lang, A.J. & NRCRI Umudike	Extra early maturity, high yield, high number of marketable tubers and high dry matter content. (23t/ha)	Rainfed and Northern Guinea Savanna	2014	2014
Potato	587	Rumba	Rumba	NGST-16-5	Europlant, Germany	Europlant, Germany	Bohn Nordkartoffel, Danbaba, A.K., Lenka, D.M., Lang, and A. J.	Large tuber size ( $\geq$ 50mm), high tuber yield, and high dry matter content (20%). (20t/ha)	Mid-altitude	2016	2016
Potato	588	Jelly	Jelly	NGST-16-6	Europlant, Germany	Europlant, Germany	Kartoffelzucht Bohm, Danbaba, A.K., Lenka, D.M., Lang, and A. J.	High tuber yield, high dry matter content and early maturity. (18t/ha)	Mid-altitude	2016	2016
Sweet Orange	589	Etinan	CIT/NH 1	NGCS-00-1	South-east, Nigeria	NIHORT	NIHORT	High yielding, top fruit quality.	Forest Transition/Derived Savanna, Southern and Guinea Savanna	1986	2000
Sweet Orange	590	Agege1	CIT/NH 2	NGCS-00-2	Agege, South-west, Nigeria	NIHORT	NIHORT	High yielding, top fruit quality.	Forest Transition/Derived Savanna, Southern and Guinea Savanna	1986	2000
Sweet Orange	591	Umudike	CIT/NH 3	NGCS-00-3	South-east, Nigeria	NIHORT	NIHORT	High yielding.	Forest Transition/Derived Savanna, Southern and Guinea Savanna	1986	2000
Sweet Orange	592	Parson Brown	CIT/NH 4	NGCS-00-4	Florida, U.S.A	Florida Experimental station	NIHORT	High yielding, top fruit quality.	Forest Transition/Derived Savanna, Southern and Guinea Savanna	1986	2000
Sweet Orange	593	Washington Navel	CIT/NH 5	NGCS-00-5	Florida, U.S.A	Florida Experimental station	NIHORT	High yielding, top fruit quality.	Forest Transition/Derived Savanna, Southern and Guinea Savanna	1986	2000
Sweet Orange	594	Hamlin	CIT/NH 6	NGCS-00-6	Florida, U.S.A	Florida Experimental station	NIHORT	High yielding, top fruit quality and early fruiting.	Forest Transition/Derived Savanna, Southern and Guinea Savanna	1986	2000

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Sweet Orange	595	Pine apple	CIT/NH 7	NGCS-00-7	Florida, U.S.A	Florida Experimental station	NIHORT	High yielding, top fruit quality.	Forest Transition/Derived Savanna, Southern and Guinea Savanna	1986	2000
Sweet Orange	596	Lue-gim-gong	CIT/NH 8	NGCS-00-8	Florida, U.S.A	Florida Experimental station	NIHORT	High yielding, top fruit quality, late maturity.	Forest Transition/Derived Savanna, Southern and Guinea Savanna	1986	2000
Sweet Orange	597	Meran	CIT/NH 9	NGCS-00-9	South-east, Nigeria	NIHORT	NIHORT	High yielding, top fruit quality with mid season fruiting.	Forest Transition/Derived Savanna, Southern and Guinea Savanna	1986	2000
Sweet Orange	598	Bende	CIT/NH 10	NGCS-00-10	South-east, Nigeria	NIHORT	NIHORT	High yielding, top fruit quality.	Forest Transition/Derived Savanna, Southern and Guinea Savanna	1986	2000
Sweet Orange	599	Valencia	CIT/NH 11	NGCS-00-11	Florida, U.S.A	Florida Experimental station	NIHORT	High yielding, top fruit quality, late maturity.	Forest Transition/Derived Savanna, Southern and Guinea Savanna	1986	2000
Tangelo	600	Lake' tangelo	CIT/NH 12	NGCS-00-12	Florida U.S.A	Florida Experimental station	NIHORT	High yielding, top quality.	Forest Transition/Derived Savanna, Southern and Guinea Savanna	1986	2000
Kenaf	601	Ifeken 400	IFEHC 400	NGHC-05-1	IAR, Samaru	IAR&T, Ibadan	Prof. B.A. Ogunbodede, Dr. S.A. Olakojo, Dr. J.A. Adediran & Dr. J.A. Raji.	Tolerant to root nematode disease. (1.1t/ha)	Rainforest and Southern Guinea Savanna	2005	2005
Kenaf	602	Ifeken DI 400	IFEHC VI 400	NGHC-11-02	IAR&T, Ibadan	IAR&T, Ibadan	B.A. Ogunbodede, M. O. Balogun, S.R. Akande & O. N. Adeniyani	High fiber yield, high core yield, Stalk diameter relatively uniform this enhance mechanical processing, none branching of stalk, day light insensitive. (0.7t/ha)	Rainforest and Southern Guinea Savanna	2011	2011

Crop_Name	S/N	Variety Name	Original Name	National Code	Origin/Source	Developing Institute	Breeder/ Collaborating Scientists	Outstanding Characteristics/ Potential Yields	Agro-Ecological Zones	Year of Release	Year of Registry
Sunflower	603	SAMSUN-1	Vniimk 8883 (SSL 803)	NGHA-10-01	Romania	IAR, Abu, Zaria	Prof. F. A. Showemimo, Mr. F.C. Orakwue, Prof. S.G. Ado, Dr. M.Y. Yeye, Prof. B. Tanimu, Dr. S. Misari, Dr. M. Mahmud, Prof. A.D. Akpa, Dr. E.A. Egwurube, Prof. J.J. Oimage & Prof. V.I.O. Ndirika	Early maturing, drought tolerant, good seed quality and very antioxidants. (2.42mg of Vit. A, 0.26mg of Vit. C and 14.48% of Vit. E). (2.21t/ha)	Savanna Ecological Zones	2010	2010
Sunflower	604	SAMSUN-2	Cherneanka 66 (SSL 806)	NGHA-10-02	Canada	IAR, Abu, Zaria	Prof. F. A. Showemimo, Mr. F.C. Orakwue, Prof. S.G. Ado, Dr. M.Y. Yeye, Prof. B. Tanimu, Dr. S. Misari, Dr. M. Mahmud, Prof. A.D. Akpa, Dr. E.A. Egwurube, Prof. J.J. Oimage & Prof. V.I.O. Ndirika	Medium maturing, good seed quality, yield, drought tolerant and good antioxidants especially Vitamin E. (2.53t/ha)	Savanna Ecological Zones	2010	2010
Sunflower	605	SAMSUN-3	Record (SSL 807)	NGHA-10-03	Romania	IAR, Abu, Zaria	Prof. F. A. Showemimo, Mr. F.C. Orakwue, Prof. S.G. Ado, Dr. M.Y. Yeye, Prof. B. Tanimu, Dr. S. Misari, Dr. M. Mahmud, Prof. A.D. Akpa, Dr. E.A. Egwurube, Prof. J.J. Oimage & Prof. V.I.O. Ndirika	Late maturing, large seed with good seed quality, yield, and drought tolerant and very good antioxidants. (2.27t/ha)	Savanna Ecological Zones	2010	2010
Sunflower	606	SAMSUN-4	Funtua (SSL 809)	NGHA-10-04	Nigeria	IAR, Abu, Zaria	Prof. F. A. Showemimo, Mr. F.C. Orakwue, Prof. S.G. Ado, Dr. M.Y. Yeye, Prof. B. Tanimu, Dr. S. Misari, Dr. M. Mahmud, Prof. A.D. Akpa, Dr. E.A. Egwurube, Prof. J.J. Oimage & Prof. V.I.O. Ndirika	Early maturing, good seed quality, yield, drought tolerant and excellent antioxidants especially Vitamin A, C and E good for intercropping. (2.38t/ha)	Savanna Ecological Zones	2010	2010

<b>Crop_Name</b>	<b>S/N</b>	<b>Variety Name</b>	<b>Original Name</b>	<b>National Code</b>	<b>Origin/Source</b>	<b>Developing Institute</b>	<b>Breeder/ Collaborating Scientists</b>	<b>Outstanding Characteristics/ Potential Yields</b>	<b>Agro-Ecological Zones</b>	<b>Year of Release</b>	<b>Year of Registry</b>
Cabbage	607	Gloria	Gloria	NGBO-16-01	Syngenta Holland	Syngenta Holland	Chikaleke, V.A., Tairu, F.M., Abdul-Rafiu, A.M., Olufolaji, A.O., Akintoye, H.A., Afolayan, S.O., Usman, N., Adeoye, I.B., Ibekwe, H.N., Oduntan, A.O., Ajayi, E.O., Umeh, V.C. And Bala, I.A.	High yield, tolerant to blight, rot and wilt. (45t/ha)	Humid Forest, Derived, Southern Guinea, Northern Guinea and Sudan Savannah agro ecologies	2016	2016
Cabbage	608	Pruktor	Pruktor	NGBO-16-02	Syngenta Holland	Syngenta Holland	Chikaleke, V.A., Tairu, F.M., Abdul-Rafiu, A.M., Olufolaji, A.O., Akintoye, H.A., Afolayan, S.O., Usman, N., Adeoye, I.B., Ibekwe, H.N., Oduntan, A.O., Ajayi, E.O., Umeh, V.C. And Bala, I.A.	High yield, tolerant to wilt, blight and rot. (39t/ha)	Humid Forest, Derived, Southern Guinea, Northern Guinea and Sudan Savannah agro ecologies	2016	2016